Cooper Industries
P O Box 4446
Houston, Texas 77210

132399

COOPER

RECEIVED
NOV 21 1994
US EPA
WESTERN PA SECTION
3HW23

November 15, 1994

Mr. and Mrs. Richard Breese
850 Enterprise Road
Grove City, Pennsylvania 16127

Dear Mr. and Mrs. Breese:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M. J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BREESE

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 940922109 Date Received: 09/23/94

Lab File ID: RU09221V09 Date Analyzed: 10/05/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

Cooper Industries
P O Box 4446
Houston, Texas 77210

COOPER

November 15, 1994

Mr. and Mrs. Timothy L. Dunn
167 Diamond Road
Grove City, Pennsylvania 16127

Dear Mr. and Mrs. Dunn:

On October 7, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M. J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

DUNN

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 94100706 Date Received: 10/07/94

Lab File ID: RU10077V06 Date Analyzed: 10/17/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

AR307803

Cooper Industries
P O Box 4446
Houston, Texas 77210

COOPER

November 16, 1994

Mr. Steve Lazor
942 Enterprise Road
Grove City, Pennsylvania 16127

Dear Mr. Lazor:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M.J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LAZOR

ab Name: KEYSTONE ENV. Contract: 91187_0087

ab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

ab Sample ID: 940922110 Date Received: 09/23/94

ab File ID: RU09221V10 Date Analyzed: 10/05/94

urge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	1	J
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

Cooper Industries
P O Box 4446
Houston, Texas 77210

COOPER

November 15, 1994

Mr. Fredrick S. Kring
5 Kring Drive
Grove City, Pennsylvania 16127

Dear Mr. Kring:

On September 23, 1994, samples of your well water and pond water were obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water samples were analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in either water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M.J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

KRING

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 940922106 Date Received: 09/23/94

Lab File ID: RU09221V06 Date Analyzed: 10/05/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

KRING POND

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 941007705 Date Received: 10/07/94

Lab File ID: RU10077V05 Date Analyzed: 10/17/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

Cooper Industries
P.O. Box 4446
Houston, Texas 77210

COOPER

November 15, 1994

Mr. Charles Dinniger
264 Diamond Road
Grove City, Pennsylvania 16127

Dear Mr. Dinniger:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M.J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

DINNIGER

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 940922102 Date Received: 09/23/94

Lab File ID: RU09221V02 Date Analyzed: 10/05/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

ENVIRONMENTAL AFFAIRS
NOV 07 1994
RECEIVED

Cooper Industries
P.O. Box 4446
Houston, Texas 77210

COOPER

November 15, 1994

Mr. Keith McDougall
204 Diamond Road
Grove City, Pennsylvania 16127

Dear Mr. McDougall:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M. J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

LLCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MCDOUGALL

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 940922105 Date Received: 09/23/94

Lab File ID: RU09221V05 Date Analyzed: 10/05/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

Cooper Industries
P.O. Box 4446
Houston, Texas 77210

COOPER

November 15, 1994

Mr. William F. Donnelly
888 Enterprise Road
Grove City, Pennsylvania 16127

Dear Mr. Donnelly:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, none of the compounds were detected in your water sample.

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M. J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

DONNELLY

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 940922107 Date Received: 09/23/94

Lab File ID: RU09221V07 Date Analyzed: 10/05/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	1	U
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

Cooper Industries
P.O. Box 4446
Houston, Texas 77210

COOPER

November 16, 1994

Mr. Gunter Eickmann
129 Diamond Road
Grove City, Pennsylvania 16127

Dear Mr. Eickmann:

On September 23, 1994, a sample of your well water was obtained by Cooper Industries' consultant, Civil & Environmental Consultants, Inc. The water sample was analyzed for compounds which have been mandated by the USEPA. As shown on the enclosed laboratory report, vinyl chloride was detected in your water sample at a concentration of 6 micrograms per liter (ug/L) or parts per billion (ppb).

In accordance with USEPA requirements, Cooper may be required to obtain additional samples in the future. If needed, you will be contacted to schedule an exact date. If you have any questions, I can be contacted at (713) 739-5612. Thank you for your cooperation in this matter.

Sincerely,

M.J. O'Brien

Michael J. O'Brien
Manager, Environmental Affairs

MJO:skm
j:osborne

cc: Frank Vavra - USEPA

1001 Fannin, Suite 4000
Houston, Texas 77002
713 739-5400

1LCA

LOW CONC. WATER VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

EICKMAN

Lab Name: KEYSTONE ENV. Contract: 91187_0087

Lab Code: KEYTX Case No.: CIV94 SAS No.: SDG No.: 09221

Lab Sample ID: 941007702 Date Received: 10/07/94

Lab File ID: RU10077V02 Date Analyzed: 10/17/94

Purge Volume: 25.0 (ml) Dilution Factor: 1.00

CAS NO.	COMPOUND	CONCENTRATION (ug/L)	Q
74-87-3	Chloromethane	1	U
74-83-9	Bromomethane	1	U
75-01-4	Vinyl Chloride	6	
75-00-3	Chloroethane	1	U
75-09-2	Methylene Chloride	2	U
67-64-1	Acetone	5	U
75-15-0	Carbon Disulfide	1	U
75-35-4	1,1-Dichloroethene	1	U
75-35-3	1,1-Dichloroethane	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
67-66-3	Chloroform	1	U
107-06-2	1,2-Dichloroethane	1	U
78-93-3	2-Butanone	5	U
71-55-6	1,1,1-Trichloroethane	1	U
56-23-5	Carbon Tetrachloride	1	U
75-27-4	Bromodichloromethane	1	U
78-87-5	1,2-Dichloropropane	1	U
10061-02-6	Trans-1,3-Dichloropropene	1	U
79-01-6	Trichloroethene	1	U
124-48-1	Dibromochloromethane	1	U
79-00-5	1,1,2-Trichloroethane	1	U
71-43-2	Benzene	1	U
10061-01-5	cis-1,3-Dichloropropene	1	U
75-25-2	Bromoform	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
591-78-6	2-Hexanone	5	U
127-18-4	Tetrachloroethene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
108-88-3	Toluene	1	U
108-90-7	Chlorobenzene	1	U
100-41-4	Ethylbenzene	1	U
100-42-5	Styrene	1	U
1330-20-7	Total Xylenes	1	U
96-12-8	1,2-Dibromo-3-chloropropane	1	U
106-93-4	1,2-Dibromoethane	1	U
156-59-4	cis-1,2-Dichloroethene	1	U
74-97-5	Bromochloromethane	1	U
95-50-1	1,2-Dichlorobenzene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U

AR307816