SDMS DocID 2098283

ENSR INTERNATIONAL

ENSR International
Four Gateway Center
444 Liberty Avenue, Suite 700
Pittsburgh, PA 15222-1220
(412) 261-2910
FAX (412) 765-1421
www.ensr.com

October 14, 2005

VIA FACSIMILE AND U.S. MAIL

Mr. Dennis D. Matlock, OSC
United States Environmental Protection Agency
Region III
Wheeling Office – Methodist Bldg.
1060 Chapline St. Suite 404
Wheeling, WV 26003-2995

RE: 8th and Plutus Streets Pottery Site, Chester, WV
Administrative Order by Consent Docket No. CERC-03-200400255DC
Monthly Progress Report for September 2005

Dear Mr. Matlock:

I am writing on behalf of Newell Holdings Delaware, Inc. ("Newell") pursuant to Paragraph 8.7 of the above referenced Order. I am pleased to enclose the Monthly Progress Report for September 2005. A certification for this Report from Newell is attached.

Please contact me if you have any questions regarding the enclosed materials.

Very truly yours,
ENSR Corporation

Donald O. Nusser, PE
Project Manager

Reviewed by:

Kenneth Battyanyi
ECS Task Manager

cc: L. Meschede
H. Green
G. Rodriguez
A. Sawula
R. Hasson
W. Huggins

MONTHLY PROGRESS REPORT
8th Street and Plutus Avenue Pottery Site
Chester, West Virginia
September 2005

Background and Objective

On September 30, 2004, an Administrative Order by Consent for Removal Response Action (Consent Order) was entered into between Newell Holdings Delaware, Inc. (Newell) and the United States Environmental Protection Agency (EPA) (Docket No. CERC-03-2004-0255DC). Pursuant to the Consent Order, Newell must submit monthly progress reports to EPA. This Progress Report is organized in the following manner:

- Activities Undertaken in September 2005
- Activities Planned for October 2005
- Problems Encountered
- Sampling Results
- Modifications

Summary of Activities Undertaken During September 2005

Actions undertaken on the project and at the Site during September 2005 include the following:

- Executed an access agreement with the Hancock County School District to enter school property for the purpose of completing the delineation program;
- Completed preparation of an amendment to the RAP ECS containing the scope of work for the supplemental characterization along the western boundary of the property; the amendment also contained a revised Anticipated Response Action Schedule. The amendment was submitted US EPA for approval on 9/27/05;
- Continued preparation of the Remedial Action Implementation Plan;
- Obtained an EPA ID number from the West Virginia Department of Environmental Protection for the Site and completed waste characterization profiles in connection with the investigative derived waste (IDW);
- Responded to a data request received from Bill Huggins at TechLaw, Inc.; and,
- Completed data validation of the XRF field results and calculated a correction factor for XRF lead data compared to the laboratory data (see below).

Summary of Activities Planned for October 2005

During October 2005, the following actions are planned to be undertaken pursuant to the approved RAP:

- Anticipate receiving EPA approval of the RAP amendment;
- Commence field work on the supplemental characterization; and,
- Continue preparation of the RAIP

Problems Encountered

No problems were encountered during the reporting period.

Sampling Results

Validated XRF data are attached to this report. A correction factor has been applied to the XRF data to predict the laboratory results from XRF results. The data evaluation consisted of performing a linear regression on the validated sample results for lead, copper, and zinc. Correlation coefficients were calculated using the regression function on an Excel spreadsheet and forcing a zero intercept. The correction factors were defined as the slope of the regression line. Correction factors were not calculated for other metals due to either insufficient number of detections or the low value of the correlation coefficients.

Modifications

No material modifications were made to the response action or the RAP during the reporting period.

Newell Rubbermaid

October 14, 2005

Mr. Dennis D. Matlock, OSC
United States Environmental Protection Agency
Region III
Wheeling Office – Methodist Bldg.
1060 Chapline St. Suite 404
Wheeling, WV 26003-2995

RE: 8th and Plutus Streets Pottery Site, Chester, WV
Administrative Order by Consent Docket No. CERC-03-200400255DC
Certification of Monthly Progress Report for September 2005

Dear Mr. Matlock:

ENSR Corporation is transmitting the above referenced Monthly Progress Report to you today on behalf of Newell Holdings Delaware, Inc. ("Newell") pursuant to Paragraph 8.7 of the above referenced Order. Pursuant to Paragraphs 22.1 and 22.2, I am writing to provide my certification of that report, as if the certification was printed on the report itself.

> I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the Work at the 8th and Plutus Superfund Site, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: Louis Meschede

Name (print): Louis Meschede
Title: Director, Environmental Affairs, Newell Rubbermaid, Inc.

Please contact me if you have any questions.

Very truly yours,

cc: D. Nusser
H. Green
G. Rodriguez
A. Sawula
R. Hasson
W. Huggins

2707 Butterfield Road Suite 100 Oak Brook, IL 60523 tel: 630-481-1650 fax: 630-481-1699

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
D-02-A	0-2'	84	<57	266	<165	<300	<1095	<1185	317	<165	<75
D-02-A2 (a)	0-2'	95	<56	212	<165	<300	<1125	<1215	340	<100	<95
D-02-B	2-3'	137	<64	161	270	<315	<1230	<1304	258	<87	<89
D-04-A	0-2'	182	<78	194	<195	<375	<1410	<1380	324	<124	<48
D-04-B	2-4'	121	<59	175	<165	<330	<1274	<1230	268	<85	<104
D-07-A	0-1'	79	<47	<84	<140	<225	<750	<750	378	<130	<78
D-08-A	0-2'	1512	<165	124	<150	<255	<795	<855	237	<103	<96
D-08-B	2-4'	174	<68	161	<150	<270	<990	<990	491	<165	<117
D-08-C	4-6'	1728	<180	174	<165	<270	<930	<975	324	<105	<105
D-08-D	6-8'	63	<51	<99	<165	<285	<975	<960	538	<150	<86
D-08-D2	6-8'	84	<51	<90	<145	<255	<915	<900	396	<90	<71
D-09-A	0-2'	2726	<195	<83	<123	<165	<390	<510	<180	<99	<77
D-09-B	2-4'	827	<125	186	<180	<300	<1065	<1035	290	<128	<99
D-09-C	4-6'	132	<59	171	<150	<270	<975	<975	443	<147	<85
D-09-D	6-8'	63	<45	113	<137	<240	<795	<840	249	<132	<127
D-10-A	0-2'	1917	<180	118	<165	<240	<765	<765	442	<109	<71
D-10-B	2-4'	103	<55	<95	<165	<270	<945	<945	388	<150	<138
D-10-C	4-6'	68	<47	<88	<139	<225	<780	<795	309	<102	<57
D-10-D	6-8'	68	<44	<86	<134	<270	<885	<915	618	<99	<132
D-11-A	0-2'	1116	<145	174	<165	<330	<1170	<1155	366	<142	<83
D-11-B	2-4'	78	<56	118	214	<315	<1140	<1125	359	<109	<100
D-11-B2	2-4'	87	<59	167	<180	<345	<1304	<1274	253	<78	<108
D-11-C	4-6'	42	<40	<87	<136	<240	<885	<885	367	<101	<99
D-11-D	6-8'	<34	<38	<89	<150	<270	<900	<915	430	<112	<79
D-12-A	0-2'	635	<130	<119	<180	<330	<1200	<1185	403	<102	<93
D-12-B	2-4'	<41	<44	<102	<150	<285	<1005	<1050	485	<90	<97
D-12-C	4-6'	56	<49	<103	<165	<300	<1095	<1140	542	<140	<95
D-13-A	0-2'	540	<99	108	<144	<240	<885	<915	520	<134	<102
D-13-B	2-4'	34	<35	<82	<135	<210	<735	<765	456	<150	<143
D-13-C	4-6'	40	<39	96	<139	<240	<855	<900	540	<110	<93
D-13-D	6-8'	<34	<39	<86	<140	<255	<915	<945	483	<89	<93
D-14-A	0-2'	662	<111	<94	<150	<270	<960	<975	532	<123	<90
D-14-B	2-4'	545	<104	114	<165	<285	<915	<915	367	<93	<133
D-14-C	4-6'	<40	<42	<100	<165	<270	<960	<1005	546	<120	<75
D-14-D	6-8'	<41	<42	<104	<165	<285	<1035	<1050	282	<145	<93
D-15-A	0-2'	682	<116	160	<165	<300	<1020	<1050	412	<140	<108
D-15-B	2-4'	<44	<50	<102	<165	<300	<1125	<1125	375	<92	<76
D-15-C	4-6'	<34	<41	<98	<150	<270	<930	<975	431	<93	<81
D-16-A	0-2'	432	<95	<104	<165	<270	<930	<990	309	<81	<73

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
D-16-B	2-4'	<42	<44	<97	<165	<285	<990	<1035	262	<91	<83
D-16-C	4-8'	97	<55	<100	<165	<300	<1050	<1170	386	<88	<94
D-17-A	0-2'	175	<65	<102	<165	<270	<975	<990	<180	<135	<120
D-17-B	2-4'	89	<53	<95	197	<285	<1005	<1005	<195	<134	<91
D-17-C	4-6'	38	<42	<98	<165	<285	<1005	<1065	<225	<141	<76
E-02-A	0-2'	139	<70	176	<195	<360	<1350	<1440	371	<107	<115
E-03-A	2-4'	220	<66	309	<180	<345	<1274	<1260	<210	<121	<87
E-03-B	8-10'	410	<92	595	<210	<390	<1500	<1500	501	<150	<125
E-03-C	10-12'	209	<78	423	<210	<405	<1650	<1500	312	<131	<92
E-04-A	4-8'	8450	<495	1218	<345	<570	<2400	<2250	580	<180	<145
E-05-A	2-4'	355	<109	372	<240	<480	<1800	<1800	332	<137	<120
E-05-B	4-6'	248	<90	272	291	<465	<1950	<1800	320	<165	<106
E-05-C	6-8'	140	<70	232	<210	<360	<1410	<1334	404	<132	<89
E-06-A	2-4'	76	<52	116	231	<300	<1005	<990	468	<127	<103
E-06-B	4-6'	108	<55	<98	<165	<285	<960	<1050	480	<133	<110
E-06-C	6-8'	<38	<42	<95	<150	<255	<900	<930	586	<116	<74
E-07-A	2-4'	697	<135	340	314	<420	<1650	<1650	529	<165	<180
E-07-B	4-8'	129	<70	<116	256	<375	<1410	<1364	434	<144	<51
E-07-B2	4-8'	192	<71	<115	232	<345	<1334	<1274	411	<127	<111
E-08-A	2-4'	1080	<149	128	<165	<300	<1185	<1185	448	<119	<135
E-08-B	4-6'	55	<49	<98	<165	<285	<1035	<1020	643	<133	<101
E-08-C	6-8'	63	<44	92	381	<240	<825	<870	396	<127	<77
E-09-A	0-2'	260	<71	<87	<142	<240	<870	<870	<210	<129	<82
E-09-B	2-4'	159	<66	169	214	<315	<1230	<1170	403	<113	<83
E-09-C	4-6'	381	<88	224	<180	<300	<1140	<1080	605	<99	<121
E-09-D	6-8'	84	<52	<99	<165	<270	<1005	<975	<240	<165	<95
E-10-A	0-2'	572	<115	<103	<165	<330	<1125	<1125	500	<101	<81
E-10-B	2-4'	1718	<195	614	<240	<390	<1424	<1500	863	<85	<61
E-10-C	4-6'	106	<56	126	<150	<285	<990	<1020	460	<135	<84
E-10-D	6-8'	68	<44	<99	253	<270	<885	<915	462	<131	<63
E-11-B	4-6'	50	<42	84	<129	<240	<825	<870	357	<112	<71
E-11-C	6-8'	<34	<38	<98	<165	<300	<1005	<1050	555	<123	<47
E-11-D	8-10'	147	<63	<93	<135	<255	<960	<975	339	<118	<98
E-12-A	2-4'	167	<64	<101	<165	<270	<945	<1005	559	<147	<62
E-12-B	4-6'	<39	<42	<90	<148	<270	<1005	<990	461	<146	<95
E-12-C	6-8'	36	<39	<93	<144	<255	<855	<930	462	<135	<99
E-12-C2	6-8'	<34	<38	<96	<149	<255	<885	<945	406	<118	<98
F-03-A	0-1'	383	<95	408	<195	<330	<1200	<1260	311	<94	<109
F-03-B	2-4'	369	<104	413	<225	<435	<1800	<1650	381	<115	<83

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
F-03-C	4-6'	774	<136	605	<225	<390	<1440	<1410	613	<141	<87
F-03-D	6-8'	600	<124	405	<195	<405	<1500	<1500	636	<144	<122
F-04-A	0-2'	361	<90	401	<180	<315	<1185	<1230	360	<72	<113
F-04-B	2-4'	1368	<165	356	<180	<300	<1095	<1080	293	<180	<72
F-04-C	4-6'	1970	<210	343	<210	<390	<1394	<1440	270	<133	<113
F-04-C Rep (b)	4-6'	1881	<210	441	<210	<375	<1334	<1350	420	<125	<119
F-04-D	7-8'	1161	<165	682	<210	<360	<1440	<1334	555	<148	<105
F-05-A	0-2'	1502	<180	576	<195	<330	<1290	<1380	571	<96	<100
F-05-B	2-3'	936	<144	330	<210	<345	<1364	<1350	448	<97	<85
F-06-A	0-2'	1035	<143	413	<180	<315	<1200	<1304	356	<102	<75
F-06-C	5-6'	6053	<345	379	<195	<285	<825	<915	269	<165	<72
F-06-D	6-8'	58568	<1500	639	<495	<600	<1454	<1800	578	<180	<91
F-06-E	8-10'	12326	<480	220	<210	<255	<585	<690	582	<122	<93
F-06-F	10-12'	3634	<270	433	<195	<270	<825	<870	260	<149	<117
F-07-A	0-1'	1853	<195	405	<195	<360	<1320	<1274	423	<94	<100
F-07-B	3-4'	91791	<2100	564	<615	<720	<1650	<2400	298	<127	<112
F-07-C	4-6'	601	<133	592	<255	<495	<1950	<1800	433	<117	<121
F-07-D	6-8'	665	<124	346	<210	<390	<1500	<1454	320	<83	<84
F-08-A	0-2'	1377	<165	167	<165	<285	<990	<1035	280	<123	<69
F-08-B	3-4'	23489	<810	1060	<360	<405	<990	<1230	362	<150	<87
F-08-C	4-5'	2573	<225	224	<210	<315	<1065	<1080	428	<139	<112
F-08-D	6-8'	244	<79	<113	255	<315	<1244	<1230	533	<95	<74
F-09-A	0-2'	1961	<195	312	<180	<270	<945	<975	495	<113	<90
F-09-B	2-3'	5650	<315	126	<180	<225	<660	<735	316	<150	<92
F-09-C	4-6'	2357	<210	281	<165	<255	<855	<900	549	<145	<97
F-09-D	7-8'	6377	<345	327	<210	<285	<885	<960	444	<101	<113
F-10-A	0-2'	1853	<180	135	325	<270	<810	<870	385	<150	<120
F-10-B	2-4'	2493	<210	107	<150	<210	<630	<660	375	<101	<76
F-10-C	0-1'	1368	<165	239	<180	<285	<915	<945	647	<135	<107
F-10-D	3-4'	212	<68	89	<144	<255	<885	<930	456	<150	<101
F-11-A	0-2'	999	<141	106	<165	<270	<930	<945	328	<116	<72
F-11-B	2-3'	3058	<240	144	<165	<255	<840	<915	341	<150	<138
F-11-C	4-6'	50	<41	<84	<137	<225	<795	<870	348	<149	<94
F-11-D	6-8'	62	<41	<85	<135	<240	<780	<795	395	<116	<48
F-12-A	0-2'	422	<96	170	<165	<285	<1020	<1020	491	<165	<94
F-12-B	2-4'	2321	<210	846	<240	<315	<1065	<1140	325	<140	<92
F-12-C	4-6'	1377	<165	164	<165	<255	<870	<945	365	<94	<53
F-12-D	6-8'	147	<63	502	<195	<285	<930	<975	<195	<107	<120
F-13-A	0-2'	367	<86	105	<150	<240	<795	<825	476	<118	<49

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
F-13-B	2-4'	1314	<150	177	<150	<255	<945	<990	617	<124	<114
F-13-C	4-6'	2673	<225	165	<180	<270	<960	<960	426	<68	<124
F-13-D	6-8'	2025	<195	104	<165	<255	<840	<855	352	<137	<84
F-15-A	0-2'	565	<122	<105	<150	<270	<930	<930	393	<102	<80
F-15-B	2-4'	743	<129	126	<165	<285	<975	<1020	342	<86	<81
F-15-C	4-6'	142	<65	<101	<165	<285	<960	<1020	371	<116	<110
F-17-A	0-2'	954	<132	150	<150	<240	<795	<840	312	<150	<89
F-17-B	2-4'	149	<64	118	<165	<300	<1020	<1080	264	<127	<87
F-17-C	4-6'	40	<46	<104	<165	<300	<1095	<1080	500	<79	<68
G-02-A	0-2'	76	<50	217	<165	<285	<1050	<1125	<195	<89	<66
G-02-B	2-4'	137	<62	323	<180	<330	<1290	<1350	470	<116	<95
G-03-A	0-2'	77	<55	288	<180	<315	<1185	<1274	358	<119	<84
G-03-B	2-4'	4804	<360	1367	<330	<480	<1650	<1650	886	<150	<29
G-03-C	4-6'	462	<107	519	343	<435	<1650	<1650	275	<143	<105
G-03-D	6-8'	296	<113	<180	<285	<690	<2849	<2700	<130	<92	<72
G-04-A	0-1'	234	<74	339	<180	<315	<1155	<1200	406	<165	<84
G-04-B	2-4'	2978	<255	658	<225	<405	<1424	<1394	757	<138	<121
G-04-C	4-6'	3969	<300	1097	<285	<420	<1500	<1500	677	<69	<95
G-04-D	7-8'	316661	16589	3467	<1950	<2400	10298	<9298	<315	<195	<255
G-05-A	4-8'	111	<60	186	<195	<345	<1244	<1274	423	<127	<69
G-05-B	8-10'	79	<56	158	229	<300	<1095	<1065	381	<150	<68
G-05-C	10-12'	149	<59	224	<148	<240	<840	<870	427	<150	<73
G-05-C2	10-12'	215	<66	221	<180	<270	<900	<915	<180	<108	<61
G-06-A	0-2'	1584	<180	379	290	<345	<1200	<1200	503	<143	<99
G-06-B	2-4'	1431	<165	238	932	<330	<1125	<1140	<195	<125	<113
G-06-C	5-6'	1898	<195	259	<195	<360	<1484	<1650	446	<225	<113
G-06-D	6-8'	217	<68	287	231	<255	<1020	<1274	281	<150	<109
G-07-A	0-2'	1458	<165	269	<180	<300	<1110	<1125	442	<115	<132
G-07-B	2-4'	1161	<150	187	<180	<315	<1155	<1170	421	<137	<107
G-07-C	4-5'	20690	<750	1023	544	<450	<1334	<1484	313	<195	<110
G-07-D	6-8'	101652	<2400	9577	<1080	<1020	<2250	<2849	<345	<165	<118
G-08-A	0-1'	34284	<1095	537	<405	<600	<1950	<2100	<300	<225	<133
G-09-A	0-2'	5760	<345	203	<210	<330	<1050	<1140	554	<195	<105
G-09-B	2-3'	17995	<690	289	<285	<405	<1334	<1440	365	<143	<114
G-09-C	5-6'	154737	5168	939	<1020	<1080	<1950	<3300	<315	<210	<165
G-09-D	6-8'	error (e)	74394	10880	<5698	<6298	<9298	<16493	<315	<450	<330
G-10-A	0-2'	1565	<180	205	<165	<300	<1005	<1065	381	<120	<72
G-10-B	3-4'	22498	<765	387	<300	<405	<1050	<1244	392	<148	<100
G-10-C	5-6'	5849	<345	552	<225	<300	<855	<915	437	<99	<116

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
G-10-D	6-8'	1817	<180	299	261	<285	<900	<930	307	<112	<112
G-11-A	0-2'	918	<135	134	<165	<270	<960	<975	282	<135	<70
G-11-B	8-10'	<34	<40	<91	<165	<270	<945	<975	385	<135	<76
G-11-C	10-12'	<35	<40	<91	<140	<255	<885	<960	364	<114	<72
G-12-A	0-2'	673	<113	<95	<141	<255	<915	<945	468	<113	<74
G-12-B	3-4'	2114	<195	229	<165	<255	<810	<825	306	<106	<83
G-12-C	4-6'	83	<50	<91	<144	<255	<915	<960	550	<117	<119
G-13-A	0-2'	380	<88	<101	<165	<255	<930	<945	389	<127	<102
G-13-B	2-3'	671	<111	<99	<150	<255	<900	<915	334	<101	<62
G-13-C	4-5'	2249	<195	163	216	<270	<825	<855	373	<117	<80
G-13-D	7-8'	576	<109	126	214	<270	<930	<990	348	<96	<94
G-13-E	8-10'	1332	<165	<113	<180	<270	<960	<975	233	<118	<92
G-13-F	10-12'	<34	<40	<92	<165	<300	<1050	<1080	395	<116	<84
G-14-A	0-2'	1278	<147	238	<165	<240	<735	<780	263	<138	<97
G-14-B	2-4'	3897	<285	155	<210	<360	<1320	<1274	237	<70	<106
G-14-C	4-6'	<35	<39	<87	<132	<240	<870	<885	313	<129	<114
G-15-A	0-2'	824	<125	<101	<149	<255	<945	<990	352	<119	<100
G-15-B	2-4'	674	<121	<106	<165	<285	<990	<1035	361	<84	<63
G-15-C	4-6'	830	<129	<112	<180	<285	<930	<1050	438	<131	<86
G-15-D	6-8'	185	<67	100	<165	<315	<1065	<1095	735	<165	<120
G-16-A	0-2'	1134	<143	126	<149	<240	<825	<885	288	<111	<80
G-16-B	2-4'	132	<63	149	<180	<285	<1020	<1065	294	<148	<85
G-16-C	4-6'	<43	<47	<102	<165	<330	<1200	<1215	248	<165	<84
G-16-D	6-8'	44	<44	<100	<165	<285	<975	<1005	300	<113	<101
GH-16-A	0-2'	830	<124	221	<165	<240	<825	<825	315	<129	<64
GH-16-B	2-4'	1215	<148	186	<150	<240	<810	<840	361	<142	<91
GH-16-C	4-5'	738	<120	146	<180	<270	<960	<945	363	<134	<104
GH-16-D	5-8'	<37	<41	<105	<180	<300	<1095	<1095	352	<102	<87
H-02-A	0-1'	50	<42	283	<147	<270	<990	<1020	<165	<55	<62
H-13-A	14'	3220	<240	459	552	<285	<780	<855	433	<165	<96
H-13-B	15'	<38	<41	<93	<150	<240	<825	<870	398	<118	<95
H-14-A	11'	201	<65	<88	<141	<240	<855	<885	449	<124	<88
H-14-B	12'	598	<107	156	190	<255	<915	<975	559	<149	<101
H-15-A	0-2'	1557	<210	246	<210	<345	<1110	<1170	520	<79	<89
H-15-B	2-4'	1961	<240	346	<255	<360	<1140	<1155	458	<115	<124
H-15-C	4-6'	89	<61	<111	<180	<300	<1080	<1065	385	<102	<64
H-15-D	6-8'	<41	<49	<119	<210	<315	<1125	<1185	341	<108	<82
H-15-D2	6-8'	<42	<47	<108	<165	<270	<1020	<1095	457	<102	<95
H-16-A	0-2'	260	<80	169	222	<285	<960	<990	265	<84	<133

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
H-16-B	2-4'	896	<165	2584	973	<510	<1800	<1650	325	<114	<98
H-16-C	4-6'	927	<142	507	<210	<315	<1065	<1110	255	<79	<67
H-16-D	6-8'	<41	<44	<93	<149	<270	<1035	<1050	642	<132	<97
H-17-A	0-2'	1845	<180	287	<180	<270	<870	<930	360	<180	<93
H-17-B	2-4'	981	<139	354	<180	<270	<900	<900	444	<87	<96
H-17-C	4-6'	95	<55	<91	<146	<255	<900	<930	288	<101	<74
I-03-A	10'	638	<98	217	<136	<210	<735	<765	273	<122	<104
I-03-B	13'	396	<89	132	<165	<270	<945	<1005	316	<120	<83
I-04-A	0-2'	296940	14298	9029	<1950	<2250	<4800	<7949	12698	<255	<270
I-06-A	9'	10708	<495	1097	<300	<330	<750	<885	271	<141	<104
I-10-B	38-39'	4841	<360	742	<285	<375	<1170	<1215	428	<150	<137
I-10-B2	38-39'	3948	<300	618	<225	<330	<1035	<1080	372	<118	<68
I-10-C	39-40'	862	<150	268	<225	<345	<1185	<1200	315	<126	<90
I-11-A	38-40'	292	<75	194	<142	<210	<615	<675	458	<150	<53
I-12-A	0-1'	8513	<420	866	<285	406	<690	<885	<285	292	<195
I-13-A	0-1'	2484	<270	305	<270	<540	<2100	<1950	630	<180	<129
I-13-A Rep	0-1'	2294	364	329	<240	<495	<2100	<1950	566	<255	<44
I-13-B	26-27'	23213	<705	574	442	<330	<615	<840	484	<146	<102
I-13-C	27-28'	1350	<165	141	<165	<270	<975	<1005	344	<74	<120
I-14-A	24-26'	105	<55	136	<149	<240	<780	<795	214	<130	<84
I-14-A2	24-26'	136	<57	<97	<150	<255	<840	<780	261	<97	<104
I-14-B	26-28'	94	<54	<101	<150	<255	<885	<885	337	<90	<83
I-15-A	0-2'	323	<73	<81	<130	494	<390	<480	390	<144	<101
I-16-A	0-2'	66	<51	<99	<165	<270	<885	<1020	328	<116	<66
I-17-A	0-2'	266	<84	292	307	<390	<1484	<1440	459	<138	<110
I-17-B	2-4'	455	<96	264	<150	<255	<915	<915	552	<114	<100
I-17-B2	2-4'	406	<87	204	<150	<270	<960	<1020	314	<71	<51
I-17-C	4-8'	147	<77	<132	518	<360	<1200	<1244	395	<96	<64
I-17-D	8-10'	107	<61	<110	<165	<315	<1080	<1125	304	<119	<75
I-17-E	10-12'	<48	<53	<117	<180	<330	<1260	<1304	418	<115	<59
J-02-A	0-1'	69	<50	143	215	<300	<1020	<1035	399	<118	<94
J-03-A	0-2'	143033	7840	23153	<1650	<1380	<3449	<3900	1200	<285	<210
J-11-A	39-40'	<29	<35	<83	<143	<210	<660	<690	281	<105	<87
J-12-A	33-34'	116	<51	89	<138	<195	<570	<600	308	<87	<69
J-12-B	34-36'	83	<53	<89	<139	<255	<915	<885	<195	<123	<101
J-13-A	0-1'	2573	<240	255	407	<405	<1350	<1350	817	<150	<104
J-13-A2 (B)	33-34'	126	<64	<101	<165	<315	<1140	<1155	344	<122	<70
J-13-B2 (C)	34-36'	181	<69	116	<149	<285	<1035	<1065	344	<99	<66
J-14-A	27-28'	185	<68	122	<150	<255	<870	<870	316	<133	<96

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
J-14-B	28-30'	370	<86	<97	<165	<240	<720	<765	269	<117	<72
J-14-C	30-32'	156	<63	<93	<150	<240	<810	<840	237	<120	<96
J-15-A	24-26'	80	<46	105	<144	<255	<885	<870	292	<74	<79
J-15-B	26-28'	83	<49	133	<150	<255	<855	<870	442	<144	<103
J-16-A	0-2'	2628	<255	489	<240	<315	<1035	<1035	285	<124	<57
J-16-B	2-3'	2781	<285	525	<270	<390	<1320	<1424	409	<165	<132
J-17-A	0-2'	2052	<180	151	<150	<225	<720	<810	220	<91	<78
J-17-B	2-4'	2969	<225	234	<165	<255	<780	<810	460	<106	<87
K-02-A	0-2'	3931	<270	3485	<330	<345	<1155	<1244	909	<118	<132
K-11-A	0-2'	149	<66	<111	<165	<285	<870	<975	360	<95	<56
K-11-B	2-4'	218	<65	<91	205	<225	<720	<780	382	<84	<78
K-12-A	1-2'	7332	<435	266	<285	<555	<2100	<1950	323	<132	<90
K-12-B	2-4'	2700	<345	296	<405	<1140	<4800	<4349	309	<150	<77
K-12-C	25-27'	715	<113	349	350	<225	<675	<735	344	<112	<118
K-13-A	28-30'	45	<44	<94	<148	<240	<825	<840	227	<92	<74
K-13-B	30-32'	<38	<41	<95	<145	<240	<810	<810	240	<90	<80
K-14-A	0-1'	1098	<165	695	<255	<465	<1950	<1800	500	<104	<104
K-14-B	20-22'	2357	<195	363	<146	<180	<405	<510	<210	<139	<106
K-14-C	22-24'	2844	<210	209	258	<210	<510	<585	<165	<165	<125
K-14-C2	22-24'	617	<97	100	184	<180	<450	<465	286	<180	<102
K-15-A	24-26'	366	<79	121	<134	<195	<645	<660	221	<114	<82
K-15-B	26-28'	83	<48	271	<150	<210	<660	<675	249	<111	<84
K-16-A	0-2'	5892	<435	532	<315	<465	<1470	<1484	511	<165	<165
K-16-B	2-4'	2717	<255	1952	<300	<285	<720	<750	372	<133	<89
K-17-A	0-2'	2484	<210	235	<165	<240	<645	<705	234	<91	<122
K-17-B	2-4'	4562	<270	173	<165	<225	<480	<615	265	<109	<126
L-13-A	12-16'	97	<51	<91	<144	<210	<705	<765	362	<113	<109
L-13-B	16-20'	65	<48	<89	<142	<240	<855	<915	306	<122	<77
L-14-A	24-26'	86	<58	<122	286	<360	<1274	<1424	344	<149	<113
L-14-B	26-27'	153	<69	<113	<195	<360	<1290	<1380	446	<90	<54
L-14-B2	26-27'	127	<65	<116	<180	<360	<1334	<1350	361	<126	<89
L-15-A	0-1'	613	<116	392	<255	2320	<1185	<1185	374	<124	<60
L-15-B	16-18'	212	<64	389	753	<255	<735	<795	403	<123	<81
L-15-C	18-20'	<42	<44	<105	<165	<315	<1215	<1380	550	<148	<134
L-16-A	8-10'	371	<109	<131	<210	<480	<1800	<1800	336	<105	<57
L-16-B	10-12'	46	<50	<107	<180	<330	<1215	<1394	367	<137	<74
L-16-B2	10-12'	<41	<44	<100	<165	<315	<1155	<1364	237	<105	<87
L-17-A	0-2'	813	<150	243	<210	<330	<1125	<1274	346	<150	<73
L-17-B	2-4'	1467	<195	327	<210	<285	<855	<930	315	<121	<94

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
M-02-A	0-2'	797	<128	182	<165	<285	<960	<1035	415	<88	<84
M-02-B	2-3'	430	<95	<107	<165	<285	<1050	<1095	224	<83	<109
M-13-A	0-1'	242	<92	199	<210	<315	<1095	<1050	243	<138	<77
M-13-B	4-6'	86	<46	<81	<131	<210	<690	<735	368	<128	<78
M-13-C	6-8'	187	<79	140	<180	<300	<1065	<1020	259	<121	<96
M-14-A	13-14'	<32	<35	<86	<147	<225	<690	<705	<195	<105	<102
M-14-A2	13-14'	<28	<30	<77	<127	<210	<675	<720	266	<131	<84
M-14-AX	0-2'	721	<124	139	<165	<285	<1005	<1050	499	<144	<111
M-14-B	14-16'	<36	<41	<87	<148	<270	<1005	<1020	278	<150	<97
M-15-A	0-1'	1296	<180	299	285	<405	<1500	<1470	230	<147	<105
M-15-B	15-16'	77	<49	<87	<134	<240	<810	<855	383	<147	<103
M-15-C	16-20'	33	<37	<84	<140	<255	<915	<960	352	<113	<48
M-15-C2	16-20'	<42	<48	<97	<150	<285	<1065	<1065	355	<143	<83
M-16-A	0-4'	686	<129	153	<165	<255	<885	<915	387	<165	<83
M-16-B	16-18'	174	<78	<108	<165	<330	<1230	<1155	612	<165	<137
M-16-C	18-20'	479	<119	<120	<180	<360	<1350	<1290	500	<134	<119
N-02-A	0-2'	2169	<180	623	<165	<210	<675	<765	<255	<150	<128
N-11-A	0-1'	2412	<165	307	369	<240	<840	<870	501	<88	<122
N-11-B	5-6'	<36	<41	<100	<180	<270	<855	<915	328	<120	<93
N-11-C	6-8'	<35	<40	<96	<148	<225	<765	<810	325	<114	<87
N-14-A	8-10'	<28	<30	<73	<114	<195	<645	<720	447	<136	<74
N-14-AX	0-2'	1071	<165	233	<210	<450	<1650	<1500	306	<85	<79
N-14-B	10-12'	<32	<36	<83	<131	<210	<735	<795	195	<98	<50
N-15-A	12-14'	<33	<38	<90	<144	<240	<780	<840	<150	<89	<28
N-15-AX	0-2'	1512	<165	326	<180	<285	<960	<1005	269	<105	<80
N-15-B	14-16'	37	<38	<79	<140	<240	<810	<885	452	<93	<89
N-16-A	0-2'	<30	<35	<85	<140	<210	<615	<645	224	<109	<96
N-16-A2	0-2'	32	<39	<79	<120	<180	<600	<645	<150	<113	<101
N-16-B	2-4'	<31	<37	<81	<124	<195	<585	<645	346	<150	<117
O-02-A	0-2'	2484	<225	995	<225	<285	<1020	<1050	892	<83	<96
O-02-B	2-4'	14400	<600	1924	<345	<420	<1410	<1484	441	<142	<107
O-11-A	0-2'	695	<129	246	254	<330	<1215	<1230	435	<117	<135
O-11-B	2-4'	409	128	113	<180	<330	<1230	<1230	488	<123	<123
O-11-C	4-6'	<26	52	<87	<141	<225	<810	<810	336	<62	<58
O-11-D	6-8'	<35	<42	<105	<180	<285	<945	<975	383	<121	<59
O-14-A	0-1'	775	<135	161	<180	<300	<1140	<1095	392	<97	<96
O-14-B	4-6'	237	<89	137	<195	<330	<1095	<1095	<195	<104	<102
O-14-C	8-10'	257	<97	133	<180	<315	<1095	<1140	337	<101	<104
O-15-A	6-8'	<34	<38	<87	<149	<255	<855	<870	282	<123	<66

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
O-15-AX	0-2'	1737	<195	<108	<165	<345	<1320	<1304	433	<135	<84
O-15-B	8-10'	<34	<42	<92	<147	<270	<945	<1005	295	<102	<77
O-16-A	0-2'	1278	<165	382	<180	<270	<930	<1035	195	<101	<86
O-16-B	2-4'	418	<96	203	<165	<255	<855	<900	299	<92	<53
O-16-B2	2-4'	359	<86	153	<150	<225	<765	<885	201	<98	<64
O-17-A	0-2'	208	<82	<114	<195	<330	<1215	<1200	331	<107	<89
O-17-B	2-4'	65	<62	<120	<195	<345	<1230	<1215	657	<94	<79
P-02-A	0-2'	1233	<146	545	<165	<240	<885	<915	331	<126	<91
P-02-B	2-3'	1458	<180	706	<210	<330	<1140	<1110	309	<107	<87
P-02-B2	2-3'	1548	<195	568	<225	<330	<1155	<1185	453	<139	<117
P-11-A	0-2'	3706	<300	329	<240	<360	<1260	<1304	292	<119	<88
P-11-B	2-4'	205	<72	97	<150	<255	<825	<900	277	<118	<64
P-11-C	4-6'	78	<52	<105	306	<255	<810	<855	<138	<95	<76
P-11-D	6-8'	<36	<43	<92	256	<255	<840	<885	202	<77	<73
P-12-A	0-2'	125	<58	<102	437	<285	<960	<915	498	<125	<108
P-12-B	2-4'	<37	<38	133	539	<255	<840	<855	343	<128	<79
P-12-C	4-6'	<33	<39	<92	202	<240	<795	<795	255	<78	<52
P-12-D	6-8'	<30	<37	<93	271	<240	<750	<780	282	<106	<84
P-14-A	2-4'	34	<38	<82	<137	<240	<795	<840	<133	<85	<82
P-14-B	4-6'	<34	<37	<76	<133	<240	<840	<900	214	<128	<104
P-14-C	6-8'	<36	<40	<88	<138	<255	<915	<930	<165	<90	<111
P-14-D	8-10'	<36	<40	<95	<149	<255	<885	<900	260	<119	<87
P-15-A	0-2'	1493	<165	<92	<149	<270	<945	<870	<210	<113	<90
P-15-B	2-4'	<36	<42	<98	450	<270	<915	<930	171	<99	<81
P-15-C	6-8	<31	<37	<91	286	<255	<900	<945	167	<122	<80
P-15-D	8-10	<39	<44	<103	<165	<315	<1185	<1170	<180	<117	<83
P-15-D2	8-10	<44	<49	<117	<180	<360	<1364	<1350	272	<123	<131
P-16-A	0-2'	105	<68	<121	<225	<405	<1380	<1334	496	<122	<41
P-16-B	2-4'	<37	46	<99	<165	<285	<1020	<1020	344	<145	<84
P-16-C	4-6'	<32	<36	<92	<150	<240	<810	<855	251	<101	<80
P-17-A	0-2'	42	<49	<99	<147	<270	<960	<1005	391	<99	<117
P-17-B	2-4'	100	<68	156	<180	<300	<1050	<1170	453	<101	<90
P-17-C	4-6'	133	<68	<114	<195	<330	<1125	<1125	261	<100	<128
Q-12-A	0-2'	1413	258	195	<330	<915	<3900	<3449	<240	<127	<83
Q-12-B	2-4'	67	<48	<94	202	<270	<975	<945	261	<90	<42
Q-12-C	4-6'	<33	<38	<85	290	<240	<765	<795	<150	<105	<93
Q-12-D	6-8'	<30	<34	<79	<136	<210	<735	<750	308	<116	<104
Q-13-A	0-2'	765	<126	<107	<165	<345	<1410	<1320	220	<140	<93
Q-13-B	2-4'	74	<68	<135	<255	<690	<3000	<2700	<180	<132	<107

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
Q-13-C	4-6'	<30	<35	<85	253	<240	<765	<780	<165	<73	<92
Q-13-D	6-8'	33	<38	<86	<145	<240	<795	<780	219	<84	<79
Q-13-D2	6-8'	<35	<38	<89	<148	<240	<780	<810	215	<111	<92
Q-14-A	0-2'	848	<133	<103	<150	<270	<960	<975	296	<108	<64
Q-14-B	2-4'	<38	<44	<90	<150	<270	<945	<945	286	<85	<103
Q-14-C	4-6'	<39	<39	<85	<141	<255	<900	<870	<149	<96	<59
Q-16-A	0-1'	129	<67	175	253	<300	<1050	<1185	235	<138	<77
Q-16-B	1-2'	211	<78	246	<195	<300	<1065	<1200	330	<98	<88
Q-17-A	0-2'	52	<52	103	<165	<285	<960	<1005	390	<99	<110
Q-17-B	2-4'	44	<44	<100	<165	<255	<840	<900	395	<121	<88
Q-17-C	8-10'	<44	<50	<105	<165	<255	<930	<990	287	<136	<71
R-10-A	0-2'	335	<84	283	<150	<255	<900	<900	361	<117	<85
R-10-B	2-4'	<39	<41	<96	<165	<270	<945	<990	216	<96	<79
R-10-C	4-6'	41	<43	<94	<143	<255	<870	<870	<165	<74	<64
R-11-A	0-2'	275	<77	<102	522	<285	<930	<915	325	<126	<60
R-11-B	2-4'	<34	<37	<91	344	<240	<765	<795	259	<139	<88
R-11-C	4-6'	<33	<35	<87	216	<225	<720	<750	356	<113	<90
R-11-D	6-8'	<29	<33	<74	<123	<195	<630	<660	330	<99	<59
R-12-A	0-2'	779	<142	<123	<195	<435	<1800	<1650	243	<119	<93
R-12-B	2-4'	<25	<31	<73	158	<195	<690	<705	278	<86	<78
R-12-C	4-6'	<34	<38	<87	248	<240	<855	<840	198	<86	<89
R-13-A	0-2'	1035	<165	233	<240	<525	<2100	<1950	<150	<116	<98
R-13-B	2-4'	50	<42	<80	<132	<225	<780	<855	183	<119	<79
R-13-C	4-6'	84	<52	<90	331	<270	<915	<945	<195	<115	<90
R-13-D	6-8'	<33	<39	<92	<148	<255	<825	<885	285	<125	<87
R-14-A	0-2'	852	238	<134	<240	<615	<2549	<2400	232	<141	<120
R-14-B	2-4'	<45	<50	<101	<180	<375	<1470	<1380	234	<96	<75
R-14-C	4-6'	<36	<41	<92	<145	<270	<960	<960	176	<107	<79
R-15-A	0-4'	753	<146	221	<195	<330	<1155	<1125	<165	<130	<119
R-15-B	4-8'	<36	<39	<88	<142	<240	<750	<795	<180	<125	<87
R-15-C	8-10'	<31	<37	<95	<165	<255	<900	<915	<146	<93	<69
R-15-D	10-12'	<31	<40	<93	<150	<270	<930	<945	<133	<112	<99
R-16-A	0-1'	373	<91	184	409	<285	<1020	<1005	398	<123	<103
R-17-A	0-2'	115	<51	135	<140	<240	<840	<885	317	<165	<84
R-17-B	2-4'	70	<50	166	<150	<255	<900	<945	291	<165	<97
R-17-C	4-6'	81	<46	<87	<141	<225	<735	<795	503	<150	<100
R-17-C2	4-6'	48	<54	<97	<180	<285	<900	<945	266	<109	<109
S-13-A	0-2'	509	<111	187	<165	<315	<1215	<1185	371	<127	<63
S-13-B	2-4'	<38	<41	217	<165	<255	<825	<825	386	<118	<86

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
S-13-C	4-6'	<38	<46	<103	<150	<270	<930	<960	<180	<102	<77
S-14-A	0-2'	1215	<180	302	<225	<465	<1800	<1650	328	<147	<82
S-14-B	2-4'	<38	<43	<96	<150	<270	<885	<930	341	<133	<129
S-14-C	4-6'	<37	<43	<101	277	<300	<1020	<1005	200	<127	<82
S-14-C2	4-6'	<36	<41	<94	<165	<270	<975	<975	<180	<103	<75
S-15-A	0-2'	603	<109	163	<150	<330	<1230	<1170	235	<128	<71
S-15-B	2-4'	36	<39	<87	<135	<210	<720	<735	320	<105	<76
S-15-C	4-6'	<31	<38	<80	<130	<255	<930	<960	217	<85	<81
S-15-D	6-8'	<32	<33	<84	<147	<240	<840	<870	273	<74	<105
S-16-A	0-2'	1206	<180	186	<210	<360	<1334	<1350	305	<130	<102
S-16-B	2-4'	4680	<390	469	<270	<420	<1290	<1410	278	<97	<65
S-16-C	4-6'	<40	<45	<103	<165	<300	<1140	<1170	<195	<69	<69
S-17-A	0-2'	16197	<810	3449	1633	<630	<1950	<1950	675	<195	<144
S-17-B	4-8'	680	<142	1218	<270	<345	<1230	<1244	0	0	0
S-17-B Rep	4-8'	728	<145	1228	<255	<330	<1200	<1230	245	<60	<92
SDMR01A (c)	2-4"	84	<52	142	<139	<255	<1005	<1020	279	<115	<61
SDMR02A	2-4"	85	<59	135	<165	<330	<1140	<1230	277	<98	<121
SDMR03A	2-4"	67	<46	<84	<128	<255	<885	<900	308	<97	<85
SDMR04A	2-4"	66	<49	92	<139	<240	<825	<870	278	<119	<72
SDMR05A	2-4"	43	<43	88	<140	<240	<810	<855	210	<95	<79
SDMR06A	2-4"	583	<98	159	<135	<225	<780	<795	<225	<123	<98
SDMR07A	2-4"	75	<49	121	<145	<255	<960	<960	426	<71	<58
SDMR08A	2-4"	110	<52	<87	<133	<255	<900	<930	332	<129	<65
SDMR09A	4-6"	63	<48	154	<165	<270	<990	<1050	293	<110	<97
SDMR10A	1-3"	138	<63	96	<146	<270	<990	<960	288	<128	<64
SDMR11A	2-4"	<32	<36	95	<134	<255	<945	<1020	227	<128	<89
SDMR12A	2-4"	<46	<48	<113	<180	<375	<1454	<1500	450	<210	<144
SDOH01A (d)	2-4"	35	<42	198	<148	<270	<915	<960	<165	<98	<82
SDOH03A	3-5"	1314	<180	<128	<195	<390	<1500	<1470	<180	<91	<84
SDOH04A	1-3"	74	<54	152	<150	<300	<1110	<1080	272	<90	<64
SDOH04B	4-6"	113	<64	149	<195	373	<1244	<1200	220	<96	<71
SDOH05A	2-4"	44	<40	175	<140	<255	<900	<915	315	<165	<110
SDOH05B	9-11"	45	<43	244	<147	<285	<1005	<1065	439	<116	<107
SH-01-A	0-1'	371	<84	140	<144	<255	<885	<900	506	<116	<95
SH-01-A2	0-1'	203	<63	160	<147	<270	<930	<945	418	<110	<69
SH-02-A	0-1'	150	<60	122	286	<270	<915	1030	412	<120	<85
T-15-A	0-2'	95	<54	<89	<149	<255	<855	<915	273	<106	<66
T-15-B	2-4'	<26	<34	<88	<147	<255	<810	<795	<180	<124	<68
T-15-C	4-6'	<37	<42	<94	<165	<270	<945	<960	<165	<82	<41

Corrected XRF Field Screening Results
8th and Plutus Streets Site
Chester, WV

Sample ID	Sample Depth	Lead [f]	Arsenic	Zinc [g]	Copper [h]	Nickel	Cobalt	Chromium	Barium	Antimony	Cadmium
T-15-C2	4-6'	<35	<39	<93	207	<285	<960	<990	252	<112	<92
T-16-A	0-2'	37	<46	89	<150	<225	<750	<780	512	<118	<99
T-16-A2	0-2'	<55	<65	<114	<195	<345	<1155	<1244	672	<115	<77
T-16-B	2-4'	<45	<50	<110	<180	<285	<990	<1035	271	<125	<71
T-16-C	4-6'	<40	<48	<112	<195	<345	<1200	<1244	281	<109	<119
T-17-A	0-2'	771	<132	359	<195	<345	<1290	<1260	309	<124	<67
T-17-B	2-4'	384	<96	352	<180	<285	<945	<1050	228	<91	<99
T-17-C	4-6'	<36	<41	<90	<143	<210	<675	<765	286	<127	<51
T-17-C2	4-6'	<31	<37	<89	<150	<225	<645	<720	458	<101	<77
T-18-A	0-2'	401	<83	554	<165	<255	<915	<960	266	<100	<57
T-18-B	2-4'	61	<45	<87	<137	<210	<690	<690	<150	<120	<70
U-17-A	0-2'	161	<63	<95	<144	<240	<840	<915	346	<102	<67
U-17-B	2-4'	122	<54	<86	<148	<225	<765	<780	380	<122	<43

Notes:
(a) Suffix of "2" identifies a duplicate sample
(b) Suffix of "R" or "Rep" identifies a replicate sample
(c) "SDMR##" identifies a sediment sample collected from Marks Run
(d) "SDOH##" identifies a sediment sample collected from the Ohio River
(e) Error - the XRF result was in error
(f) A correction factor of 0.90 for lead was developed based on a the slope of a linear regression line
(g) A correction factor of 0.93 for zlinc was developed based on a the slope of a linear regression line
(h) A correction factor of 1.15 for copper was developed based on a the slope of a linear regression line
Correction factors were not calculated for As, Ni, Co, Cr, Ba, Sb or Cd due to either an insufficient number of detected results or low values for the correlation coefficients