2c 49972
PMJ
Interconnect

ORIGINAL
(Red)

APR 12 1988

Mr. Bill Bryson
PJM Interconnection
955 Jefferson Avenue
Valley Forge Coprorate Center
Norristown, PA 19403

Re: Commodore Semiconductor Group, Norristown, PA

Dear Mr. Bryson:

Per our conversation on April 6, 1988, I am enclosing copies of information which will help you to further define a hazardous substance at your facility. The enclosed information is as follows:

1. An attachment to help you identify potentially hazardous substances.

2. A copy of Sections 101(14) and 102(a) which are defined in the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (SUPERFUND) (P.L. 96-510), as amended by the Superfund Amendments and Reauthorization Act of 1986 (P.L. 99-499), December 1986.

3. A copy of the Code of Federal Regulations, 40 CFR Parts 261.20 to 261.33, revised as of July 1, 1987.

4. A copy of the Code of Federal Regulations, 40 CFR Parts 190 to 399 revised as of July 1, 1987.

Note: Part 302-Designation, Reportable Quantities and Notification is the Part to help you further define a hazardous substance.

If you have any questions regarding the response to the letter dated March 31, 1988, I can be reached at (215) 597-8240.

Suzanne Billings

Suzanne Billings
Remedial Project Manager

Enclosures

AR200711

ORIGINAL (Red)

This attachment has been prepared to help you identify potentially hazardous substances.

A substance may be considered to be hazardous according to CERCLA ("superfund") even if that substance is not a hazardous waste regulated by EPA under RCRA; therefore many hazardous substances are not hazardous wastes. Styrene is an example of a hazardous substance which is not a hazardous waste.



Superfund does not consider the amount of the substance when determining if that substance is or is not hazardous. If a material, or mixture of materials, your company uses or generates contains any quantity or concentration of hazardous substances, the material is considered a hazardous substance by CERCLA. Generators of very small quantities of hazardous substances are still required to identify their potentially hazardous materials in their response to EPA's information requests.

The attached tables identify typical waste streams of some small quantity generators of hazardous substances and identify some of the hazardous substances typically used by many industries.

Compare any material, or the ingredients of any material, you might suspect to be hazardous to the list of materials contained in the attached tables. If you are unclear as to whether a material you use, generate or dispose of is hazardous, or if the amount of that material you use, generate or dispose of is a concern, enclose a description of that substance with your written response to this letter. You may also contact the EPA representative identified in this letter if you have any questions.

ORIGINAL (Red)

TABLE 1

BUSINESSES THAT OFTEN PRODUCE HAZARDOUS SUBSTANCES

There are some businesses that almost always generate some quantity of hazardous substances. If you:

- repair and maintain motor vehicles
- do electroplating
- do metal manufacturing, fabrication or finishing
- operate printing or reproduction equipment
- do dry cleaning or laundering
- do photographic processing or printing
- operate a laboratory
- do some types of building, road or construction work
- provide home or industrial pest control
- manufacture or process chemicals
- manufacture or formulate pesticides
- manufacture textiles, dyes or finish fabrics
- make or refinish furniture
- manufacture or process cosmetics
- chemically treat lawns or gardens
- do wood preserving or stripping
- operate a foundry

it is probable that your business generates hazardous substances.

Businesses that use certain kinds of materials and substances almost always generate hazardous substances. If you:

- use oils or other similar products
- use dyes, paints, printing inks, thinners, solvents, or cleaning fluids
- use pesticides or other related chemicals
- use materials that disolve metal, wood, paper or clothing
- use flammable materials
- use materials that burn or itch when contacting skin
- use materials which are shipped with a hazardous material label
- use materials which bubble, fume, or change color when mixed with water
- use adhesives
- use acids or caustic materials

it is almost certain that your business generates hazardous substances.

ORIGINAL (Red)

TABLE 2
TYPICAL WASTE STREAMS PRODUCED BY SMALL QUANTITY GENERATORS

INDUSTRY	WASTE STREAMS
Laboratories	Acids/Bases Heavy Metals/Inorganics Ignitable Wastes Reactives Solvents
Printing and Allied Industries	Acids/Bases Heavy Metals/Inorganics Ink Sludges Spent Plating Wastes Solvents
Pesticide End Users and Application Services	Heavy Metals/Inorganics Pesticides Solvents
Construction	Acids/Bases Ignitable Wastes Solvents
Equipment Repair	Acids/Bases Ignitable Wastes Lead Acid Batteries Solvents
Furniture/Wood Manufacturing & Refinishing	Ignitable Wastes Solvents
Other Manufacturing: Textiles—Plastics—Leather—	Heavy Metals/Inorganics Solvents
Laundries and Dry Cleaners	Dry Cleaning Filtration Residues Solvents
Educational and Vocational Shops	Acids/Bases Ignitable Wastes Pesticides Reactives Solvents
Building Cleaning and Maintenance	Acids/Bases Solvents
Vehicle Maintenance	Acids/Bases Heavy Metals/Inorganics Ignitable Wastes Lead Acid Batteries Solvents
Wood Preserving	Preserving Agents
Motor Freight Terminals and Railroad Transportation	Acids/Bases Heavy Metals/Inorganics Ignitable Wastes Lead Acid Batteries Solvents
Funeral Services	Solvents (Formaldhyde)
Metal Manufacturing	Acids/Bases Cyanide Wastes Heavy Metals/Inorganics Ignitable Wastes Reactives Solvents Spent Plating Wastes
Chemical Manufacturers	Acids/Bases Cyanide Wastes Heavy Metals/Inorganics Ignitable Wastes Reactives Solvents
Cleaning Agents & Cosmetics	Acids/Bases Heavy Metals/Inorganics Ignitable Wastes Pesticides Solvents
Formulators	Acids/Bases Cyanide Wastes Heavy Metals/Inorganics Ignitable Wastes Pesticides Reactives Solvents

AR200714

TABLE 3

TYPICAL WASTE STREAMS AND EPA HAZARDOUS WASTE NUMBERS

ORIGINAL (Red)

ACIDS/BASES:

Acids, bases or mixtures having a pH less than or equal to 2 or greater than or equal to 12.5, or liquids that corrode steel at a rate greater than 0.25 inches per year, are considered to be corrosive (for a complete description of corrosive wastes, see 40 CFR 261.22, Characteristic of corrosivity). All corrosive materials and solutions have the EPA Hazardous Waste Number of D002. The following are some of the more commonly used corrosives:

Acetic Acid	Oleum
Ammonium Hydroxide	Perchloric Acid
Chromic Acid	Phosphoric Acid
Hydrobromic Acid	Potassium Hydroxide
Hydrochloric Acid	Sodium Hydroxide
Hydrofluoric Acid	Sulfuric Acid
Nitric Acid	

DRY CLEANING FILTRATION RESIDUES:

Cooked powder residue (perchloroethylene plants only), still residues and spent cartridge filters containing perchloroethylene or valclene are hazardous and have an EPA Hazardous Waste Number of F002.

Still residues containing petroleum solvents with a flash point less than 140°F are also considered hazardous, and have an EPA Hazardous Waste Number of D001.

HEAVY METALS/INORGANICS:

Heavy metals and other inorganic waste materials exhibit the characteristic of EP Toxicity and are considered hazardous if the extract from a representative sample of the waste has any of the specific constituent concentrations as shown in 40 CFR 261.24, Table 1. This may include dusts, solutions, wastewater treatment sludges, paint wastes, waste inks and other such materials which contain heavy metals/inorganics (note that wastewater treatment sludges from electroplating operations containing nickel and cyanide, are identified as F006). The following are EP Toxic:

Arsenic	D004
Barium	D005
Cadmium	D006
Chromium	D007
Lead	D008
Mercury	D009
Selenium	D010
Silver	D011

IGNITABLE WASTES:

Ignitable wastes include any flammable liquids, nonliquids, and contained gases that have a flashpoint less than 140°F (for a complete description of ignitable wastes, see 40 CFR 261.21, Characteristic of ignitability). Examples are spent solvents (see also solvents), solvent still bottoms, ignitable paint wastes (paint removers, brush cleaners and stripping agents), epoxy resins and adhesives (epoxies, rubber cements and marine glues), and waste inks containing flammable solven . Unless otherwise specified, all ignitable wastes have an EPA Hazardous Waste Number of D001.

Some commonly used ignitable compounds are:

Acetone	F003
Benzene	D001
n-Butyl Alcohol	F003
Chlorobenzene	F002
Cyclohexanone	F003
Ethyl Acetate	F003
Ethylbenzene	F003
Ethyl Ether	F003
Ethylene Dichloride	D001
Methanol	F003
Methyl Isobutyl Ketone	F003
Petroleum Distillates	D001
Xylene	F003

INK SLUDGES CONTAINING CHROMIUM AND LEAD:

This includes solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead. All ink sludges have an EPA Hazardous Waste Number of K086.

LEAD ACID BATTERIES:

Used lead acid batteries should be reported on the notification form <u>only</u> if they are not recycled. Used lead acid batteries that <u>are</u> recycled do not need to be counted in determining the quantity of waste that you generate per month, nor do they require a hazardous waste manifest when shipped off your premises. (Note: special requirements do apply if you recycle your batteries on your own premises — see 40 CFR Part 266.)

Lead Dross	D008
Spent Acids	D002
Lead Acid Batteries	D008
	D002

REACTIVES:

Reactive wastes include reactive materials or mixtures which are unstable, react violently with or form explosive mixtures with water, generate toxic gases or vapors when mixed with water (or when exposed to pH conditions between 2 and 12.5 in the case of cyanide or sulfide bearing wastes), or are capable of detonation or explosive reaction when irritated or heated (for a complete description of reactive wastes, see 40 CFR 261.23, Characteristic of reactivity). Unless otherwise specified, all reactive wastes have an EPA Hazardous Waste Number of D003. The following materials are commonly considered to be reactive:

Acetyl Chloride	Organic Peroxides
Chromic Acid	Perchlorates
Cyanides	Permanganates
Hypochlorites	Sulfides

SPENT PLATING AND CYANIDE WASTES:

Spent plating wastes contain cleaning solutions and plating solutions with caustics, solvents, heavy metals and cyanides. Cyanide wastes may also be generated from heat treatment operations, pigment production and manufacturing of anti-caking agents. Plating wastes are generally Hazardous Waste Numbers F006-F009. Heat treatment wastes are generally Hazardous Waste Numbers F010-F012. See 40 CFR 261.31 for a more complete description of plating wastes.

WOOD PRESERVING AGENTS:

Compounds or mixtures used in wood preserving, including the wastewater treatment sludge from wastewater treatment operations, are considered hazardous. Bottom sediment sludges from the treatment of wastewater processes that use creosote or pentachlorophenol are hazardous, and have an EPA Hazardous Waste Number of K001. Unless otherwise indicated, specific wood preserving components are:

Chromated Copper Arsenate	D004
Creosote	K001
Pentachlorophenol	K001

SOLVENTS:

Spent solvents, solvent still bottoms or mixtures containing solvents are often hazardous. This includes solvents used in degreasing and paint brush cleaning, and distillation residues from reclamation. The following are some commonly used hazardous solvents (see also ignitable wastes for other hazardous solvents, and 40 CFR 261.31 for most listed hazardous waste solvents):

Benzene	D001
Carbon Disulfide	F005
Carbon Tetrachloride	F001
Chlorobenzene	F002
Cresols	F004
Cresylic Acid	F004
O-Dichlorobenzene	F002
Ethanol	D001
Ethylene Dichloride	D001
Isobutanol	F005
Isopropanol	D001
Kerosene	D001
Methyl Ethyl Ketone	F005
Methylene Chloride	F001 (Sludges)
	F002 (Still Bottoms)
Naphtha	D001
Nitrobenzene	F004
Petroleum Solvents (Flashpoint less than 140°F)	D001
Pyridine	F005
1,1,1-Trichloroethane	F001 (Sludges)
	F002 (Still Bottoms)
Tetrachloroethylene	F001 (Sludges)
	F002 (Still Bottoms)
Toluene	F005
Trichloroethylene	F001 (Sludges)
	F002 (Still Bottoms)
Trichlorofluoromethane	F002
Trichlorotrifluoroethane	F002
White Spirits	D001

PESTICIDES:

Pesticides, pesticide residues, washing and rinsing solutions and dips which contain constituent concentrations at or above the EP Toxicity Level, or have an oral LD50 toxicity (rat) < 50 mg/kg, inhalation LC50 toxicity (rat) < 2mg/L or a dermal LD50 toxicity (rabbit) < 200 mg/kg, are hazardous materials. The following pesticides are considered to be hazardous. For a more complete listing, see 40 CFR 261.32-33 for specific listed pesticides, and other wastes, wastewaters, sludges, and by-products from pesticide production. (Note that while many of these pesticides are no longer in common use, they are included here for those cases where they may be found in storage.)

Aldicarb	P070
Aldrin	P004
Aminole	U011
Arsenic Pentoxide	P011
Arsenic Trioxide	P012
Cacodylic Acid	U136
Carbamic Acid, Methylnitroso-, ethyl Ester	U178
Chlordane	U036
Copper Cyanides	P029
1,2-Dibromo-3-Chloropropane	U066
1,2-Dichloropropane	U083
1,3-Dichloropropene	U084
2,4-Dichlorophenoxy Acetic Acid	U240
DDT	U061
Dieldrin	P037
Dimethoate	P044
Dimethylcarbamoyl Chloride	U097
Dinitrocresol	P047
Dinoseb	P020
Disodium Monmomethanearsonate	D004
Disulfoton	P039
Endosulfan	P050
Endrin	P051
Ethylmercuric Chloride	D009
Famphur	P097
Heptachlor	P059
Hexachlorobenzene	U127
Kepone	U142
Lindane	U129
2-Methoxy Mercuric Chloride	D009
Methoxychlor	D014
Methyl Parathion	P071
Monosodium Methanearsonate	D004
Nicotine	P075
Parathion	P089
Pentachloronitrobenzene	U185
Pentachlorophenol	U242
Phenylmercuric Acetate	D009
Phorate	P094
Strychnine	P108
2,4,5-Trichlorophenoxy Acetic Acid	U232
2-(2,4,5-Trichlorophenoxy)-Propionic Acid	U233
Thallium Sulfate	P115
Thiram	U244
Toxaphene	P123
Warfarin	U248

ORIGINAL (Red)

TABLE 4

SOME COMMON POTENTIALLY HAZARDOUS SUBSTANCES

PAINTS
THINNERS
STRIPPERS
INKS
DYES
SOLVENTS
CLEANERS
ACIDS
ADHESIVES
FINISHES
CAUSTIC MATERIALS
HEAVY METALS

In general, a substance can be considered to be hazardous if it exhibits one or more of the following characteristics:

1) Corrosivity - the ability of a substance to corrode or dissolve steel, paper, wood, or material. Strong acids and strong bases, such as lye, are corrosive. Materials with a pH less than 2.0 or greater than 12.5 are considered to be corrosive.

2) Ignitability - an ignitable substance is one that will burst into flames and burn vigorously. Gasoline is a good example.

3) Reactivity - some materials are unstable and may react with water to form explosive mixtures or generate toxic gases, vapors, or fumes. Chlorine, for example, produces a toxic gas when improperly handled.

4) Toxicity - the property some materials have of causing illness or death when taken into the body through ingestion, inhalation or absorbtion. The metals used in electroplating and photography, like silver and chromium, are examples of toxic substances. Many other organic and inorganic materials, some of which are commonly used in a variety of industrial settings, are also toxic.

Legally, hazardous substances are defined as:

1) any substance listed in Section 311 (b)(2)(A) of the Federal Water Pollution Control Act;

2) any element, compound, mixture, solution or substance designated in Section 102 of the Comprehensive Environmental Response, Conservation and Liability Act of 1980 as amended by the Superfund Amendments and Reauthorization Act of 1986;

3) any hazardous waste listed in Section 3001 of the Solid Waste Disposal Act;

4) any toxic pollutant listed under Section ~~112~~ 307 of the Federal Water Pollution Control Act;

5) any hazardous air pollutant listed under Section 112 of the Clean Air Act; and

6) any substance designated in Section 7 of the Toxic Substances Control Act.

If you have any questions or are unclear as to whether or not you need to respond to EPA's information request regarding some materials which you use, generate or dispose, please contact the EPA representative identified in this letter.

AR 300718

§ 261.11 Criteria for listing hazardous waste.

(a) The Administrator shall list a solid waste as a hazardous waste only upon determining that the solid waste meets one of the following criteria:

(1) It exhibits any of the characteristics of hazardous waste identified in Subpart C.

(2) It has been found to be fatal to humans in low doses or, in the absence of data on human toxicity, it has been shown in studies to have an oral LD 50 toxicity (rat) of less than 50 milligrams per kilogram, an inhalation LC 50 toxicity (rat) of less than 2 milligrams per liter, or a dermal LD 50 toxicity (rabbit) of less than 200 milligrams per kilogram or is otherwise capable of causing or significantly contributing to an increase in serious irreversible, or incapacitating reversible, illness. (Waste listed in accordance with these criteria will be designated Acute Hazardous Waste.)

(3) It contains any of the toxic constituents listed in Appendix VIII unless, after considering any of the following factors, the Administrator concludes that the waste is not capable of posing a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported or disposed of, or otherwise managed:

(i) The nature of the toxicity presented by the constituent.

(ii) The concentration of the constituent in the waste.

(iii) The potential of the constituent or any toxic degradation product of the constituent to migrate from the waste into the environment under the types of improper management considered in paragraph (a)(3)(vii) of this section.

(iv) The persistence of the constituent or any toxic degradation product of the constituent.

(v) The potential for the constituent or any toxic degradation product of the constituent to degrade into nonharmful constituents and the rate of degradation.

(vi) The degree to which the constituent or any degradation product of the constituent bioaccumulates in ecosystems.

(vii) The plausible types of improper management to which the waste could be subjected.

(viii) The quantities of the waste generated at individual generation sites or on a regional or national basis.

(ix) The nature and severity of the human health and environmental damage that has occurred as a result of the improper management of wastes containing the constituent.

(x) Action taken by other governmental agencies or regulatory programs based on the health or environmental hazard posed by the waste or waste constituent.

(xi) Such other factors as may be appropriate.

Substances will be listed on Appendix VIII only if they have been shown in scientific studies to have toxic, carcinogenic, mutagenic or teratogenic effects on humans or other life forms.

(Wastes listed in accordance with these criteria will be designated Toxic wastes.)

(b) The Administrator may list classes or types of solid waste as hazardous waste if he has reason to believe that individual wastes, within the class or type of waste, typically or frequently are hazardous under the definition of hazardous waste found in section 1004(5) of the Act.

(c) The Administrator will use the criteria for listing specified in this section to establish the exclusion limits referred to in § 261.5(c).

Subpart C—Characteristics of Hazardous Waste

§ 261.20 General.

(a) A solid waste, as defined in § 261.2, which is not excluded from regulation as a hazardous waste under § 261.4(b), is a hazardous waste if it exhibits any of the characteristics identified in this subpart.

[*Comment*: § 262.11 of this chapter sets forth the generator's responsibility to determine whether his waste exhibits one or more of the characteristics identified in this subpart]

(b) A hazardous waste which is identified by a characteristic in this subpart, but is not listed as a hazardous

waste in Subpart D, is assigned the EPA Hazardous Waste Number set forth in the respective characteristic in this subpart. This number must be used in complying with the notification requirements of section 3010 of the Act and certain recordkeeping and reporting requirements under Parts 262 through 265, 268, and Part 270 of this chapter.

(c) For purposes of this subpart, the Administrator will consider a sample obtained using any of the applicable sampling methods specified in Appendix I to be a representative sample within the meaning of Part 260 of this chapter.

[*Comment*: Since the Appendix I sampling methods are not being formally adopted by the Administrator, a person who desires to employ an alternative sampling method is not required to demonstrate the equivalency of his method under the procedures set forth in §§ 260.20 and 260.21.]

[45 FR 33119, May 19, 1980, as amended at 48 FR 14294, Apr. 1, 1983; 51 FR 40636, Nov. 7, 1986]

§ 261.21 Characteristic of ignitability.

(a) A solid waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties:

(1) It is a liquid, other than an aqueous solution containing less than 24 percent alcohol by volume and has flash point less than 60°C (140°F), as determined by a Pensky-Martens Closed Cup Tester, using the test method specified in ASTM Standard D-93-79 or D-93-80 (incorporated by reference, see § 260.11), or a Setaflash Closed Cup Tester, using the test method specified in ASTM Standard D-3278-78 (incorporated by reference, see § 260.11), or as determined by an equivalent test method approved by the Administrator under procedures set forth in §§ 260.20 and 260.21.

(2) It is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that it creates a hazard.

(3) It is an ignitable compressed gas as defined in 49 CFR 173.300 and as determined by the test methods described in that regulation or equivalent test methods approved by the Administrator under §§ 260.20 and 260.21.

(4) It is an oxidizer as defined in 49 CFR 173.151.

(b) A solid waste that exhibits the characteristic of ignitability, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D001.

[45 FR 33119, May 19, 1980, as amended at 46 FR 35247, July 7, 1981]

§ 261.22 Characteristic of corrosivity.

(a) A solid waste exhibits the characteristic of corrosivity if a representative sample of the waste has either of the following properties:

(1) It is aqueous and has a pH less than or equal to 2 or greater than or equal to 12.5, as determined by a pH meter using either an EPA test method or an equivalent test method approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21. The EPA test method for pH is specified as Method 5.2 in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods" (incorporated by reference, see § 260.11).

(2) It is a liquid and corrodes steel (SAE 1020) at a rate greater than 6.35 mm (0.250 inch) per year at a test temperature of 55°C (130°F) as determined by the test method specified in NACE (National Association of Corrosion Engineers) Standard TM-01-69 as standardized in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods" (incorporated by reference, see § 260.11) or an equivalent test method approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21.

(b) A solid waste that exhibits the characteristic of corrosivity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D002.

[45 FR 33119, May 19, 1980, as amended at 46 FR 35247, July 7, 1981]

§ 261.23 Characteristic of reactivity.

(a) A solid waste exhibits the characteristic of reactivity if a representative sample of the waste has *any* of the following properties:

93-135 O—87——13

(1) It is normally unstable and readily undergoes violent change without detonating.

(2) It reacts violently with water.

(3) It forms potentially explosive mixtures with water.

(4) When mixed with water, it generates toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment.

(5) It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment.

(6) It is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement.

(7) It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure.

(8) It is a forbidden explosive as defined in 49 CFR 173.51, or a Class A explosive as defined in 49 CFR 173.53 or a Class B explosive as defined in 49 CFR 173.88.

(b) A solid waste that exhibits the characteristic of reactivity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number of D003.

§ 261.24 Characteristic of EP toxicity.

(a) A solid waste exhibits the characteristic of EP toxicity if, using the test methods described in Appendix II or equivalent methods approved by the Administrator under the procedures set forth in §§ 260.20 and 260.21, the extract from a representative sample of the waste contains any of the contaminants listed in Table I at a concentration equal to or greater than the respective value given in that Table. Where the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering, is considered to be the extract for the purposes of this section.

(b) A solid waste that exhibits the characteristic of EP toxicity, but is not listed as a hazardous waste in Subpart D, has the EPA Hazardous Waste Number specified in Table I which corresponds to the toxic contaminant causing it to be hazardous.

TABLE I—MAXIMUM CONCENTRATION OF CONTAMINANTS FOR CHARACTERISTIC OF EP TOXICITY

EPA hazardous waste number	Contaminant	Maximum concentration (milligrams per liter)
D004	Arsenic	5.0
D005	Barium	100.0
D006	Cadmium	1.0
D007	Chromium	5.0
D008	Lead	5.0
D009	Mercury	0.2
D010	Selenium	1.0
D011	Silver	5.0
D012	Endrin (1,2,3,4,10,10-hexachloro-1,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo, endo-5,8-dimethano-naphthalene.	0.02
D013	Lindane (1,2,3,4,5,6-hexa- chlorocyclohexane, gamma isomer.	0.4
D014	Methoxychlor (1,1,1-Trichloro-2,2-bis (p-methoxyphenyl]ethane).	10.0
D015	Toxaphene ($C_{10}H_{10}Cl_8$, Technical chlorinated camphene, 67-69 percent chlorine).	0.5
D016	2,4-D, (2,4-Dichlorophenoxyacetic acid).	10.0
D017	2,4,5-TP Silvex (2,4,5-Trichlorophenoxypropionic acid).	1.0

Subpart D—Lists of Hazardous Wastes

§ 261.30 General.

(a) A solid waste is a hazardous waste if it is listed in this subpart, unless it has been excluded from this list under §§ 260.20 and 260.22.

(b) The Administrator will indicate his basis for listing the classes or types of wastes listed in this Subpart by employing one or more of the following Hazard Codes:

Ignitable Waste	(I)
Corrosive Waste	(C)
Reactive Waste	(R)
EP Toxic Waste	(E)
Acute Hazardous Waste	(H)
Toxic Waste	(T)

Appendix VII identifies the constituent which caused the Administrator to list the waste as an EP Toxic Waste (E) or Toxic Waste (T) in §§ 261.31 and 261.32.

(c) Each hazardous waste listed in this subpart is assigned an EPA Hazardous Waste Number which precedes the name of the waste. This number must be used in complying with the notification requirements of Section 3010 of the Act and certain recordkeeping and reporting requirements under Parts 262 through 265, 268, and Part 270 of this chapter.

(d) The following hazardous wastes listed in § 261.31 or § 261.32 are subject to the exclusion limits for acutely hazardous wastes established in § 261.5: EPA Hazardous Wastes Nos. FO20, FO21, FO22, FO23, FO26, and FO27.

[45 FR 33119, May 19, 1980, as amended at 48 FR 14294, Apr. 1, 1983; 50 FR 2000, Jan. 14, 1985; 51 FR 40636, Nov. 7, 1986]

§ 261.31 Hazardous wastes from non-specific sources.

The following solid wastes are listed hazardous wastes from non-specific sources unless they are excluded under §§ 260.20 and 260.22 and listed in Appendix IX.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Generic:		
F001	The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F002	The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, ortho-dichlorobenzene, trichlorofluoromethane, and 1,1,2-trichloroethane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004, or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F003	The following spent non-halogenated solvents: Xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone, and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten percent or more (by volume) of one or more of those solvents listed in F001, F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(I)*
F004	The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F005	The following spent non-halogenated solvents: Toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, and 2-nitropropane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002, or F004; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(I,T)
F006	Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.	(T)
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum.	(T)
F007	Spent cyanide plating bath solutions from electroplating operations.	(R,T)
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	(R,T)
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.	(R,T)
F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.	(R,T)

AR200720

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.	(R, T)
F012	Quenching waste water treatment sludges from metal heat treating operations where cyanides are used in the process.	(T)
F024	Wastes, including but not limited to, distillation residues, heavy ends, tars, and reactor clean-out wastes from the production of chlorinated aliphatic hydrocarbons, having carbon content from one to five, utilizing free radical catalyzed processes. [This listing does not include light ends, spent filters and filter aids, spent dessicants, wastewater, wastewater treatment sludges, spent catalysts, and wastes listed in § 261.32.].	(T)
F020	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tri- or tetrachlorophenol, or of intermediates used to produce their pesticide derivatives. (This listing does not include wastes from the production of Hexachlorophene from highly purified 2,4,5-trichlorophenol.).	(H)
F021	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of pentachlorophenol, or of intermediates used to produce its derivatives.	(H)
F022	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tetra-, penta-, or hexachlorobenzenes under alkaline conditions.	(H)
F023	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tri- and tetrachlorophenols. (This listing does not include wastes from equipment used only for the production or use of Hexachlorophene from highly purified 2,4,5-trichlorophenol.).	(H)
F026	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tetra-, penta-, or hexachlorobenzene under alkaline conditions.	(H)
F027	Discarded unused formulations containing tri-, tetra-, or pentachlorophenol or discarded unused formulations containing compounds derived from these chlorophenols. (This listing does not include formulations containing Hexachlorophene sythesized from prepurified 2,4,5-trichlorophenol as the sole component.).	(H)
F028	Residues resulting from the incineration or thermal treatment of soil contaminated with EPA Hazardous Waste Nos. F020, F021, F022, F023, F026, and F027.	(T)

*(I,T) should be used to specify mixtures containing ignitable and toxic constituents.

[46 FR 4617, Jan. 16, 1981, as amended at 46 FR 27477, May 20, 1981; 49 FR 5312, Feb. 10, 1984; 49 FR 37070, Sept. 21, 1984; 50 FR 665, Jan. 4, 1985; 50 FR 2000, Jan. 14, 1985; 50 FR 53319, Dec. 31, 1985; 51 FR 2702, Jan. 21, 1986; 51 FR 6541, Feb. 25, 1986]

§ 261.32 Hazardous wastes from specific sources.

The following solid wastes are listed hazardous wastes from specific sources unless they are excluded under §§ 260.20 and 260.22 and listed in Appendix IX.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Wood preservation: K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol.	(T)
Inorganic pigments:		
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments.	(T)
K003	Wastewater treatment sludge from the production of molybdate orange pigments	(T)
K004	Wastewater treatment sludge from the production of zinc yellow pigments	(T)
K005	Wastewater treatment sludge from the production of chrome green pigments	(T)
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated).	(T)
K007	Wastewater treatment sludge from the production of iron blue pigments	(T)
K008	Oven residue from the production of chrome oxide green pigments	(T)
Organic chemicals:		
K009	Distillation bottoms from the production of acetaldehyde from ethylene	(T)
K010	Distillation side cuts from the production of acetaldehyde from ethylene	(T)

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile	(R, T)
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile	(R, T)
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile	(T)
K015	Still bottoms from the distillation of benzyl chloride	(T)
K016	Heavy ends or distillation residues from the production of carbon tetrachloride	(T)
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.	(T)
K018	Heavy ends from the fractionation column in ethyl chloride production	(T)
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production.	(T)
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.	(T)
K021	Aqueous spent antimony catalyst waste from fluoromethanes production	(T)
K022	Distillation bottom tars from the production of phenol/acetone from cumene	(T)
K023	Distillation light ends from the production of phthalic anhydride from naphthalene	(T)
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	(T)
K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene	(T)
K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene	(T)
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene	(T)
K026	Stripping still tails from the production of methy ethyl pyridines	(T)
K027	Centrifuge and distillation residues from toluene diisocyanate production	(R, T)
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane.	(T)
K029	Waste from the product steam stripper in the production of 1,1,1-trichloroethane	(T)
K095	Distillation bottoms from the production of 1,1,1-trichloroethane	(T)
K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane.	(T)
K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene.	(T)
K083	Distillation bottoms from aniline production	(T)
K103	Process residues from aniline extraction from the production of aniline	(T)
K104	Combined wastewater streams generated from nitrobenzene/aniline production	(T)
K085	Distillation or fractionation column bottoms from the production of chlorobenzenes	(T)
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.	(T)
K111	Product washwaters from the production of dinitrotoluene via nitration of toluene	(C,T)
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	(T)
K113	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	(T)
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	(T)
K115	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	(T)
K116	Organic condensate from the solvent recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.	(T)
K117	Wastewater from the reactor vent gas scrubber in the production of ethylene dibromide via bromination of ethene.	(T)
K118	Spent adsorbent solids from purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	(T)
K136	Still bottoms from the purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	(T)
Inorganic chemicals:		
K071	Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used.	(T)
K073	Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production.	(T)
K106	Wastewater treatment sludge from the mercury cell process in chlorine production	(T)
Pesticides:		
K031	By-product salts generated in the production of MSMA and cacodylic acid	(T)
K032	Wastewater treatment sludge from the production of chlordane	(T)
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane.	(T)
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane.	(T)
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.	(T)
K035	Wastewater treatment sludges generated in the production of creosote	(T)
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	(T)
K037	Wastewater treatment sludges from the production of disulfoton	(T)
K038	Wastewater from the washing and stripping of phorate production	(T)

AR200721

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
K039	Filter cake from the filtration of diethylphosphorodithioic acid in the production of phorate.	(T)
K040	Wastewater treatment sludge from the production of phorate	(T)
K041	Wastewater treatment sludge from the production of toxaphene	(T)
K098	Untreated process wastewater from the production of toxaphene	(T)
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T.	(T)
K043	2,6-Dichlorophenol waste from the production of 2,4-D	(T)
K099	Untreated wastewater from the production of 2,4-D	(T)
K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenebisdithiocarbamic acid and its salt.	(T)
K124	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salts.	(C, T)
K125	Filtration, evaporation, and centrifugation solids from the production of ethylenebisdithiocarbamic acid and its salts.	(T)
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenebisdithiocarbamic acid and its salts.	(T)
Explosives:		
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	(R)
K045	Spent carbon from the treatment of wastewater containing explosives	(R)
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds.	(T)
K047	Pink/red water from TNT operations	(R)
Petroleum refining:		
K048	Dissolved air flotation (DAF) float from the petroleum refining industry	(T)
K049	Slop oil emulsion solids from the petroleum refining industry	(T)
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry	(T)
K051	API separator sludge from the petroleum refining industry	(T)
K052	Tank bottoms (leaded) from the petroleum refining industry	(T)
Iron and steel:		
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	(T)
K062	Spent pickle liquor generated by steel finishing operations of facilities within the iron and steel industry (SIC Codes 331 and 332).	(C,T)
Secondary lead:		
K069	Emission control dust/sludge from secondary lead smelting	(T)
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.	(T)
Veterinary pharmaceuticals:		
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	(T)
K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	(T)
K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.	(T)
Ink formulation: K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead.	(T)
Coking:		
K060	Ammonia still lime sludge from coking operations	(T)
K087	Decanter tank tar sludge from coking operations	(T)

[46 FR 4618, Jan. 16, 1981, as amended at 46 FR 27476-27477, May 20, 1981; 49 FR 37070, Sept. 21, 1984; 50 FR 42942, Oct. 23, 1985; 51 FR 5330, Feb. 13, 1986; 51 FR 19322, May 28, 1986; 51 FR 33612, Sept. 22, 1986; 51 FR 37729, Oct. 24, 1986]

§ 261.33 Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof.

The following materials or items are hazardous wastes if and when they are discarded or intended to be discarded as described in § 261.2(a)(2)(i), when they are mixed with waste oil or used oil or other material and applied to the land for dust suppression or road treatment, when they are otherwise applied to the land in lieu of their original intended use or when they are contained in products that are applied to the land in lieu of their original intended use, or when, in lieu of their original intended use, they are produced for use as (or as a component of) a fuel, distributed for use as a fuel, or burned as a fuel.

(a) Any commercial chemical product, or manufacturing chemical intermediate having the generic name listed in paragraph (e) or (f) of this section.

(b) Any off-specification commercial chemical product or manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in paragraph (e) or (f) of this section.

(c) Any residue remaining in a container or in an inner liner removed from a container that has held any commercial chemical product or manufacturing chemical intermediate having the generic name listed in paragraph (e) of this section, unless the container is empty as defined in § 261.7(b)(3) of the chapter.

[Comment: Unless the residue is being beneficially used or reused, or legitimately recycled or reclaimed; or being accumulated, stored, transported or treated prior to such use, re-use, recycling or reclamation, EPA considers the residue to be intended for discard, and thus, a hazardous waste. An example of a legitimate re-use of the residue would be where the residue remains in the container and the container is used to hold the same commercial chemical product or manufacturing chemical intermediate it previously held. An example of the discard of the residue would be where the drum is sent to a drum reconditioner who reconditions the drum but discards the residue.]

(d) Any residue or contaminated soil, water or other debris resulting from the cleanup of a spill into or on any land or water of any commercial chemical product or manufacturing chemical intermediate having the generic name listed in paragraph (e) or (f) of this section, or any residue or contaminated soil, water or other debris resulting from the cleanup of a spill, into or on any land or water, of any off-specification chemical product and manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in paragraph (e) or (f) of this section.

[*Comment:* The phrase "commercial chemical product or manufacturing chemical intermediate having the generic name listed in . . ." refers to a chemical substance which is manufactured or formulated for commercial or manufacturing use which consists of the commercially pure grade of the chemical, any technical grades of the chemical that are produced or marketed, and all formulations in which the chemical is the sole active ingredient. It does not refer to a material, such as a manufacturing process waste, that contains any of the substances listed in paragraph (e) or (f). Where a manufacturing process waste is deemed to be a hazardous waste because it contains a substance listed in paragraph (e) or (f), such waste will be listed in either § 261.31 or § 261.32 or will be identified as a hazardous waste by the characteristics set forth in Subpart C of this part.]

(e) The commercial chemical products, manufacturing chemical intermediates or off-specification commercial chemical products or manufacturing chemical intermediates referred to in paragraphs (a) through (d) of this section, are identified as acute hazardous wastes (H) and are subject to be the small quantity exclusion defined in § 261.5(e).

[*Comment:* For the convenience of the regulated community the primary hazardous properties of these materials have been indicated by the letters T (Toxicity), and R (Reactivity). Absence of a letter indicates that the compound only is listed for acute toxicity.]

These wastes and their corresponding EPA Hazardous Waste Numbers are:

AR200722

Hazardous waste No.	Chemical abstracts No.	Substance
P023	107-20-0	Acetaldehyde, chloro-
P002	591-08-2	Acetamide, N-(aminothioxomethyl)-
P057	640-19-7	Acetamide, 2-fluoro-
P058	62-74-8	Acetic acid, fluoro-, sodium salt
P066	16752-77-5	Acetimidic acid, N-[(methylcarbamoyl)oxy]thio-, methyl ester
P002	591-08-2	1-Acetyl-2-thiourea
P003	107-02-8	Acrolein
P070	116-06-3	Aldicarb
P004	309-00-2	Aldrin
P005	107-18-6	Allyl alcohol
P006	20859-73-8	Aluminum phosphide (R,T)
P007	2763-96-4	5-(Aminomethyl)-3-isoxazolol
P008	504-24-5	4-alpha-Aminopyridine
P009	131-74-8	Ammonium picrate (R)
P119	7803-55-6	Ammonium vanadate
P010	7778-39-4	Arsenic acid
P012	1327-53-3	Arsenic oxide As_2O_3
P011	1303-28-2	Arsenic oxide As_2O_5
P011	1303-28-2	Arsenic pentoxide
P012	1327-53-3	Arsenic trioxide
P038	692-42-2	Arsine, diethyl
P036	696-28-6	Arsonous dichloride, phenyl-
P054	151-56-4	Aziridine
P013	542-62-1	Barium cyanide
P024	106-47-8	Benzenamine, 4-chloro-
P077	100-01-6	Benzenamine, 4-nitro-
P028	100-44-7	Benzene, (chloromethyl)-
P042	51-43-4	1,2-Benzenediol, 4-[1-hydroxy-2-(methylamino)ethyl]-, (R)-
P046	122-09-8	Benzeneethanamine, alpha,alpha-dimethyl-
P014	108-98-5	Benzenethiol
P001	[1] 81-81-2	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenylbutyl)-, and salts
P028	100-44-7	Benzyl chloride
P015	7440-41-7	Beryllium dust
P016	542-88-1	Bis(chloromethyl) ether
P017	598-31-2	Bromoacetone
P018	357-57-3	Brucine
P021	592-01-8	Calcium cyanide
P022	75-15-0	Carbon bisulfide
P022	75-15-0	Carbon disulfide
P095	75-44-5	Carbonic dichloride
P023	107-20-0	Chloroacetaldehyde
P024	106-47-8	p-Chloroaniline
P029	544-92-3	Copper cyanide
P030	.....	Cyanides (soluble cyanide salts), not otherwise specified
P031	460-19-5	Cyanogen
P033	506-77-4	Cyanogen chloride
P034	131-89-5	2-Cyclohexyl-4,6-dinitrophenol
P036	696-26-6	Dichlorophenylarsine
P037	60-57-1	Dieldrin
P038	692-42-2	Diethylarsine
P041	311-45-5	Diethyl-p-nitrophenyl phosphate
P040	297-97-2	O,O-Diethyl O-pyrazinyl phosphorothioate
P043	55-91-4	Diisopropyl fluorophosphate (DEP)
P004	309-00-2	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha,4abeta,5alpha,8alpha,8abeta)-
P060	465-73-6	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha,4abeta,5beta,8beta,8abeta)-
P037	60-57-1	2,7:3,6-Dimethanonaphth[2,3b]oxirane, 3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha,2beta,2aalpha,3beta,6beta,6aalpha,7beta,7aalpha)-
P051	72-20-8	2,7:3,6-Dimethanonaphth[2,3b]oxirane, octahydro-, (1aalpha,2beta,2abeta,3alpha,6alpha,6abeta,7beta,7aalpha)-
P044	60-51-5	Dimethoate
P045	39196-18-4	3,3-Dimethyl-1-(methylthio)-2-butanone, O-[(methylamino)carbonyl] oxime
P046	122-09-8	alpha, alpha-Dimethylphenethylamine
P047	[1] 534-52-1	4,6-Dinitro-o-cresol and salts
P048	51-28-5	2,4-Dinitrophenol
P020	88-85-7	Dinoseb
P085	152-16-9	Diphosphoramide, octamethyl-
P039	298-04-4	Disulfoton
P049	541-53-7	2,4-Dithiobiuret
P050	115-29-7	Endosulfan
P088	145-73-3	Endothal
P051	72-20-8	Endrin
P042	51-43-4	Epinephrine
P101	107-12-0	Ethyl cyanide
P054	151-56-4	Ethyleneimine
P097	52-85-7	Famphur
P056	7782-41-4	Fluorine
P057	640-19-7	Fluoroacetamide
P058	62-74-8	Fluoroacetic acid, sodium salt
P065	628-86-4	Fulminic acid, mercury(2+)salt (R,T)
P059	76-44-8	Heptachlor
P062	757-58-4	Hexaethyltetraphosphate
P116	79-19-6	Hydrazinecarbothioamide
P068	60-34-4	Hydrazine, methyl-
P063	74-90-8	Hydrocyanic acid
P063	74-90-8	Hydrogen cyanide
P096	7803-51-2	Hydrogen phosphide
P064	624-83-9	Isocyanic acid, methyl ester
P060	465-73-6	Isodrin
P007	2763-96-4	3(2H)-Isoxazolone, 5-(aminomethyl)-
P092	62-38-4	Mercury, (acetato-O)phenyl-
P065	628-86-4	Mercury fulminate (R,T)
P082	62-75-9	Methamine, N-methyl-N-nitroso-
P016	542-88-1	Methane, oxybis[chloro-

AR200723

Hazardous waste No.	Chemical abstracts No.	Substance
P112	509-14-8	Methane, tetranitro- (R)
P118	75-70-7	Methanethiol, trichloro-
P050	115-29-7	6,9-Methano-2,4,3-benzodioxathiepen, 6,7,8,9,10,10-hexachloro- 1,5,5a,6,9,9a-hexahydro-, 3-oxide
P059	76-44-8	4,7-Methano-1H-indene, 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-
P066	16752-77-5	Methomyl
P067	75-55-8	2-Methylaziridine
P068	60-34-4	Methyl hydrazine
P064	624-83-9	Methyl isocyanate
P069	75-86-5	2-Methyllactonitrile
P071	298-00-0	Methyl parathion
P072	86-88-4	alpha-Naphthylthiourea
P073	13463-39-3	Nickel carbonyl
P073	13463-39-3	Nickel carbonyl, (T-4)-
P075	[1] 54-11-5	Nicotine and salts
P076	10102-43-9	Nitric oxide
P077	100-01-6	p-Nitroaniline
P078	10102-44-0	Nitrogen dioxide
P076	10102-43-9	Nitrogen oxide NO
P078	10102-44-0	Nitrogen oxide NO_2
P081	55-63-0	Nitroglycerine (R)
P082	62-75-9	N-Nitrosodimethylamine
P084	4549-40-0	N-Nitrosomethylvinylamine
P074	557-19-7	Nickel cyanide
P085	152-16-9	Octamethylpyrophosphoramide
P087	20816-12-0	Osmium oxide
P087	20816-12-0	Osmium tetroxide
P088	145-73-3	7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid
P089	56-38-2	Parathion
P034	131-89-5	Phenol, 2-cyclohexyl-4,6-dinitro-
P048	51-28-5	Phenol, 2,4-dinitro-
P047	[1] 534-52-1	Phenol, 2-methyl-4,6-dinitro- and salts
P020	88-85-7	Phenol, 2-(1-methylpropyl)-4,6-dinitro-
P009	131-74-8	Phenol, 2,4,6-trinitro-, ammonium salt (R)
P092	62-38-4	Phenylmercury acetate
P093	103-85-5	Phenylthiourea
P094	298-02-2	Phorate
P095	75-44-5	Phosgene
P096	7803-51-2	Phosphine
P041	311-45-5	Phosphonic acid, diethyl 4-nitrophenyl ester
P039	298-04-4	Phosphorodithioic acid, O,O-diethyl S-[2-(ethylthio)ethyl] ester
P094	298-02-2	Phosphorodithioic acid, O,O-diethyl S-[(ethylthio)methyl] ester
P044	60-51-5	Phosphorodithioic acid, O,O-dimethyl S[2-(methylamino)-2-oxoethyl] ester
P043	55-91-4	Phosphorofluoric acid, bis(1-methylethyl)- ester

(Pad) Antidote

P089	56-38-2	Phosphorothioic acid, O,O-diethyl O-(4-nitrophenyl) ester
P040	297-97-2	Phosphorothioic acid, O,O-diethyl O-pyrazinyl ester
P097	52-85-7	Phosphorothioic acid, O-[4-[(dimethylamino)sulfonyl]phenyl] O,O-dimethyl ester
P071	298-00-0	Phosphorothioic acid, O,O-dimethyl O-(4-nitrophenyl) ester
P110	78-00-2	Plumbane, tetraethyl-
P098	151-50-8	Potassium cyanide
P099	506-61-6	Potassium silver cyanide
P070	116-06-3	Propanal, 2-methyl-2-(methylthio)-, O-[(methylamino)carbonyl]oxime
P101	107-12-0	Propanenitrile
P027	542-76-7	Propanenitrile, 3-chloro-
P069	75-86-5	Propanenitrile, 2-hydroxy-2-methyl-
P081	55-63-0	1,2,3-Propanetriol, trinitrate (R)
P017	598-31-2	2-Propanone, 1-bromo-
P102	107-19-7	Propargyl alcohol
P003	107-02-8	2-Propenal
P005	107-18-6	2-Propen-1-ol
P067	75-55-8	1,2-Propylenimine
P102	591-08-2	2-Propyn-1-ol
P008	504-24-5	Pyridinamine
P075	[1] 54-11-5	Pyridine, (S)-3-(1-methyl-2-pyrrolidinyl)-, and salts
P111	107-49-3	Pyrophosphoric acid, tetraethyl ester
P103	630-10-4	Selenourea
P104	506-64-9	Silver cyanide
P105	26628-22-8	Sodium azide
P106	143-33-9	Sodium cyanide
P107	1314-96-1	Strontium sulfide
P108	[1] 57-24-9	Strychnidin-10-one, and salts
P018	357-57-3	Strychnidin-10-one, 2,3-dimethoxy-
P108	[1] 57-24-9	Strychnine and salts
P115	10031-59-1	Sulfuric acid, thallium(I) salt
P109	3689-24-5	Tetraethyldithiopyrophosphate
P110	78-00-2	Tetraethyl lead
P111	107-49-3	Tetraethylpyrophosphate
P112	509-14-8	Tetranitromethane (R)
P062	757-58-4	Tetraphosphoric acid, hexaethyl ester
P113	1314-32-5	Thallic oxide
P113	1314-32-5	Thallium(III) oxide
P114	12039-52-0	Thallium(I) selenite
P115	10031-59-1	Thallium(I) sulfate
P109	3689-24-5	Thiodiphosphoric acid, tetraethyl ester
P045	39196-18-4	Thiofanox
P049	541-53-7	Thioimidodicarbonic diamide
P014	108-98-5	Thiophenol
P116	79-19-6	Thiosemicarbazide
P026	5344-82-1	Thiourea, (2-chlorophenyl)-
P072	86-88-4	Thiourea, 1-naphthalenyl-
P093	103-85-5	Thiourea, phenyl-
P123	8001-35-2	Toxaphene

AR200724

Hazardous waste No.	Chemical abstracts No.	Substance
P118	75-70-7	Trichloromethanethiol
P119	7803-55-6	Vanadic acid, ammonium salt
P120	1314-62-1	Vanadium(V) oxide
P084	4549-40-0	Vinylamine, N-methyl-N-nitroso-
P001	81-81-2	Warfarin
P121	557-21-1	Zinc cyanide
P122	1314-84-7	Zinc phosphide (R,T)

[1] CAS Number given for parent compound only.

(f) The commercial chemical products, manfacturing chemical intermediates, or off-specification commercial chemical products referred to in paragraphs (a) through (d) of this section, are identified as toxic wastes (T), unless otherwise designated and are subject to the small quantity generator exclusion defined in § 261.5 (a) and (g).

[*Comment:* For the convenience of the regulated community, the primary hazardous properties of these materials have been indicated by the letters T (Toxicity), R (Reactivity), I (Ignitability) and C (Corrosivity). Absence of a letter indicates that the compound is only listed for toxicity.]

These wastes and their corresponding EPA Hazardous Waste Numbers are:

AR200725

Hazardous waste No.	Chemical abstracts No.	Substance
U001	75-07-0	Acetaldehyde (I)
U034	75-87-6	Acetaldehyde, trichloro-
U187	62-44-2	Acetamide, N-(4-ethoxyphenyl)-
U005	53-96-3	Acetamide, N-9H-fluoren-2-yl
U112	141-78-6	Acetic acid, ethyl ester (I)
U144	301-04-2	Acetic acid, lead salt
U214	563-68-8	Acetic acid, thallium (1+) salt
U232	93-76-5	Acetic acid, (2,4,5-trichlorophenoxy)-
U002	67-64-1	Acetone (I)
U003	75-05-8	Acetonitrile (I,T)
U004	98-86-2	Acetophenone
U005	53-96-3	2-Acetylaminofluorene
U006	75-36-5	Acetyl chloride (C,R,T)
U007	79-06-1	Acrylamide
U008	79-10-7	Acrylic acid (I)
U009	107-13-1	Acrylonitrile
U011	61-82-5	Amitrole
U012	62-53-3	Aniline (I,T)
U014	492-80-8	Auramine
U015	115-02-6	Azaserine
U010	50-07-7	Azirino(2',3':3,4)pyrrolo[1,2-a]indole-4,7-dione, 6-amino-8-[((aminocarbonyl)oxy)methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-
U157	50-49-5	Benz[j]aceanthrylene, 1,2-dihydro-3-methyl-
U016	225-51-4	3,4-Benzacridine
U017	98-87-3	Benzal chloride
U192	23950-58-5	Benzamide, 3,5-dichloro-N-(1,1-diethyl-2-propynyl)-
U018	56-55-3	Benz[a]anthracene
U094	57-97-6	Benz[a]anthracene, 7,12-dimethyl-
U012	62-53-3	Benzenamine (I,T)
U014	492-80-8	Benzenamine, 4,4'-carbonimidoylbis[N,N-dimethyl-
U049	3165-93-3	Benzenamine, 4-chloro-2-methyl-
U093	60-11-7	Benzenamine, N,N-dimethyl-4-(phenylazo)-
U328	95-53-4	Benzenamine, 2-methyl-
U353	106-49-0	Benzenamine, 4-methyl-
U158	101-14-4	Benzenamine, 4,4'-methylenebis[2-chloro-
U222	636-21-5	Benzenamine, 2-methyl-, hydrochloride
U181	99-55-8	Benzenamine, 2-methyl-5-nitro-
U019	71-43-2	Benzene
U038	510-15-6	Benzeneacetic acid, 4-chloro-alpha-(4-chlorophenyl)-alpha-hydroxy, ethyl ester
U030	101-55-3	Benzene, 1-bromo-4-phenoxy-
U035	305-03-3	Benzenebutanoic acid, 4-[bis(2-chloroethyl)amino]-
U037	108-90-7	Benzene, chloro-
U221	25376-45-8	Benzenediamine, ar-methyl-
U028	117-81-7	1,2-Benzenedicarboxylic acid, bis(2-ethylhexy) ester

U069	84-74-2	1,2-Benzenedicarboxylic acid, dibutyl ester
U088	84-66-2	1,2-Benzenedicarboxylic acid, diethyl ester
U102	131-11-3	1,2-Benzenedicarboxylic acid, dimethyl ester
U107	117-84-0	1,2-Benzenedicarboxylic acid, di-n-octyl ester
U070	95-50-1	Benzene, 1,2-dichloro-
U071	541-73-1	Benzene, 1,3-dichloro-
U072	106-46-7	Benzene, 1,4-dichloro-
U060	72-54-8	Benzene, 1, 1'-(2,2-dichloroethylidene)bis[4-chloro-
U017	98-87-3	Benzene, (dichloromethyl)-
U223	26471-62-5	Benzene, 1,3-diisocyanatomethyl- (R,T)
U239	1330-20-7	Benzene, dimethyl- (I,T)
U201	108-46-3	1,3-Benzenediol
U127	118-74-1	Benzene, hexachloro-
U056	110-82-7	Benzene, hexahydro- (I)
U220	108-88-3	Benzene, methyl-
U105	121-14-2	Benzene, 1-methyl-2,4-dinitro-
U106	606-20-2	Benzene, 2-methyl-1,3-dinitro-
U055	98-82-8	Benzene, (1-methylethyl)- (I)
U169	98-95-3	Benzene, nitro- (I,T)
U183	608-93-5	Benzene, pentachloro-
U185	82-68-8	Benzene, pentachloronitro-
U020	98-09-9	Benzenesulfonic acid chloride (C,R)
U020	98-09-9	Benzenesulfonyl chloride (C,R)
U207	95-94-3	Benzene, 1,2,4,5-tetrachloro-
U061	50-29-3	Benzene, 1,1'-(2,2,2-trichloroethylidene)bis[4-chloro-
U247	72-43-5	Benzene, 1,1'-(2,2,2-trichloroethylidene)[4-methoxy-
U023	98-07-7	Benzene, (trichloromethyl)- (C,R,T)
U234	99-35-4	Benzene, 1,3,5-trinitro- (R,T)
U021	92-87-5	Benzidine
U202	81-07-2	1,2-Benzisothiazol-3-(2H)-one, 1,1-dioxide and salts
U203	94-59-7	1,3-Benzodioxole, 5-(2-propenyl)-
U141	120-58-1	1,3-Benzodioxole, 5-(1-propenyl)-
U090	94-58-6	1,3-Benzodioxole, 5-propyl-
U064	189-55-9	Benzo[rst]pentaphene
U022	50-32-8	Benzo[a]pyrene
U197	106-51-4	p-Benzoquinone
U023	98-07-7	Benzotrichloride (C,R,T)
U065	1464-53-5	2,2'-Bioxirane (I,T)
U021	92-87-5	[1,1'-Biphenyl]-4,4'diamine
U073	91-94-1	[1,1'Biphenyl]-4,4'-diamine, 3,3'-dichloro-
U091	119-90-4	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethoxy-
U095	119-93-7	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethyl-
U027	39638-32-9	Bis(2-chloroisopropyl) ether
U024	111-91-1	Bis(2-chloromethoxy) ethane
U028	117-81-7	Bis(2-ethylhexyl) phthalate.
U225	75-25-2	Bromoform
U030	101-55-3	4-Bromophenyl phenyl ether
U128	87-68-3	1,3-Butadiene, 1,1,2,3,4,4-hexachloro-

AR200726

Hazardous waste No.	Chemical abstracts No.	Substance
U172	924-16-3	1-Butanamine, N-butyl-N-nitroso-
U031	71-36-3	1-Butanol (I)
U159	78-93-3	2-Butanone (I,T)
U160	1338-23-4	2-Butanone peroxide (R,T)
U053	4170-30-3	2-Butenal
U074	764-41-0	2-Butene, 1,4-dichloro- (I,T)
U143	303-34-4	2-Butenoic acid, 2-methyl-, 7-[(2,3-dihydroxy-2-(1-methoxyethyl)-3-methyl-1-oxobutoxy)methyl]-2,3,5,7a-tetrahydro-1-pyrrolizin-1-yl ester, [1S-[1alpha(Z),7(2S, 3R), 7aalpha]]-
U031	71-36-3	n-Butyl alcohol (I)
U136	75-60-5	Cacodylic acid
U032	13765-19-0	Calcium chromate
U238	51-79-6	Carbamic acid, ethyl ester
U178	615-53-2	Carbamic acid, methylnitroso-, ethyl ester
U097	79-44-7	Carbamic chloride, dimethyl-
U114	[1] 111-54-6	Carbamodithioic acid, 1,2-ethanediylbis-,salts and esters
U062	2303-16-4	Carbamothioic acid, bis(1-methylethyl)-S-(2,3-dichloro-2-propenyl) ester
U215	6533-73-9	Carbonic acid, dithallium(1+) salt
U033	353-50-4	Carbonic difluoride
U156	79-22-1	Carbonochloridic acid, methyl ester (I,T)
U033	353-50-4	Carbon oxyfluoride (R,T)
U211	56-23-5	Carbon tetrachloride
U034	75-87-6	Chloral
U035	305-03-3	Chlorambucil
U036	12789-03-6	Chlordane
U026	494-03-1	Chlornaphazine
U037	108-90-7	Chlorobenzene
U039	59-50-7	p-Chloro-m-cresol
U041	106-89-8	1-Chloro-2,3-epoxypropane
U042	110-75-8	2-Chloroethyl vinyl ether
U044	67-66-3	Chloroform
U046	107-30-2	Chloromethyl methyl ether
U047	91-58-7	beta-Chloronaphthalene
U048	95-57-8	o-Chlorophenol
U049	3165-93-3	4-Chloro-o-toluidine, hydrochloride
U032	13765-19-0	Chromic acid, calcium salt
U050	218-01-9	Chrysene
U051	8021-39-4	Creosote
U052	1319-77-3	Cresols (Cresylic acid)
U053	4170-30-3	Crotonaldehyde
U055	98-82-8	Cumene (I)
U246	506-68-3	Cyanogen bromide
U197	106-51-4	2,5-Cyclohexadiene-1, 4-dione
U056	110-82-7	Cyclohexane (I)

U057	108-94-1	Cyclohexanone (I)
U130	77-47-4	1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-
U058	50-18-0	Cyclophosphamide
U240	[1] 94-75-7	2,4-D, salts and esters
U059	20830-81-3	Daunomycin
U060	72-54-8	DDD
U061	50-29-3	DDT
U062	2303-16-4	Diallate
U063	53-70-3	Dibenz[a,h]anthracene
U064	189-55-9	Dibenzo[a,i]pyrene
U066	96-12-8	1,2-Dibromo-3-chloropropane
U069	84-74-2	Dibutyl phthalate
U070	95-50-1	o-Dichlorobenzene
U071	541-73-1	m-Dichlorobenzene
U072	106-46-7	p-Dichlorobenzene
U073	91-94-1	3,3'-Dichlorobenzidine
U074	764-41-0	1,4-Dichloro-2-butene (I,T)
U075	75-71-8	Dichlorodifluoromethane
U078	75-35-4	1,1-Dichloroethylene
U079	156-60-5	1,2-Dichloroethylene
U025	111-44-1	Dichloroethyl ether
U081	120-83-2	2,4-Dichlorophenol
U082	87-65-0	2,6-Dichlorophenol
U240	[1] 94-75-7	2,4-Dichlorophenoxyacetic acid, salts and esters
U083	78-87-5	1,2-Dichloropropane
U084	542-75-6	1,3-Dichloropropene
U085	1464-53-5	1,2:3,4-Diepoxybutane (I,T)
U108	123-91-1	1,4-Diethyleneoxide
U086	1615-80-1	N,N-Diethylhydrazine
U087	3288-58-2	O,O-Diethyl-S-methyl-dithiophosphate
U088	84-66-2	Diethyl phthalate
U089	56-53-1	Diethylstilbestrol
U090	94-58-6	Dihydrosafrole
U091	119-90-4	3,3'-Dimethoxybenzidine
U092	124-40-3	Dimethylamine (I)
U093	60-11-7	Dimethylaminoazobenzene
U094	57-97-6	7,12-Dimethylbenz[a]anthracene
U095	119-93-7	3,3'-Dimethylbenzidine
U096	80-15-9	alpha,alpha-Dimethylbenzylhydroperoxide (R)
U097	79-44-7	Dimethylcarbamoyl chloride
U098	57-14-7	1,1-Dimethylhydrazine
U099	540-73-8	1,2-Dimethylhydrazine
U101	105-67-9	2,4-Dimethylphenol
U102	131-11-3	Dimethyl phthalate
U103	77-78-1	Dimethyl sulfate
U105	121-14-2	2,4-Dinitrotoluene
U106	606-20-2	2,6-Dinitrotoluene
U107	117-84-0	Di-n-octyl phthalate

AR200727

Hazardous waste No.	Chemical abstracts No.	Substance
U108	123-91-1	1,4-Dioxane
U109	122-66-7	1,2-Diphenylhydrazine
U110	142-84-7	Dipropylamine (I)
U111	621-64-7	Di-n-propylnitrosamine
U001	75-07-0	Ethanal (I)
U174	55-18-5	Ethanamine, N-ethyl-N-nitroso-
U155	91-80-5	1,2-Ethanediamine, N,N-dimethyl-N'-2-pyridinyl-N'-(2-thienylmethyl)-
U067	106-93-4	Ethane, 1,2-dibromo-
U076	75-34-3	Ethane, 1,1-dichloro-
U077	107-06-2	Ethane, 1,2-dichloro-
U131	67-72-1	Ethane, hexachloro-
U024	111-91-1	Ethane, 1,1'-[methylenebis(oxy)]bis[2-chloro-
U117	60-29-7	Ethane, 1,1'-oxybis- (I)
U025	111-44-4	Ethane, 1,1'-oxybis[2-chloro-
U184	76-01-7	Ethane, pentachloro-
U208	630-20-6	Ethane, 1,1,1,2-tetrachloro-
U209	79-34-5	Ethane, 1,1,2,2-tetrachloro-
U218	62-55-5	Ethanethioamide
U227	110-80-5	Ethanol, 2-ethoxy-
U359	79-00-5	Ethane, 1,1,2-trichloro-
U173	1116-54-7	Ethanol, 2,2'-(nitrosoimino)bis-
U004	98-86-2	Ethanone, 1-phenyl-
U043	75-01-4	Ethene, chloro-
U042	110-75-8	Ethene, (2-chloroethoxy)-
U078	75-35-4	Ethene, 1,1-dichloro-
U079	156-60-5	Ethene, 1,2-dichloro-, (E)-
U210	127-18-4	Ethene, tetrachloro
U228	79-01-6	Ethene, trichloro
U112	141-78-6	Ethyl acetate (I)
U113	140-88-5	Ethyl acrylate (I)
U238	51-79-6	Ethyl carbamate
U038	510-15-6	Ethyl 4,4'-dichlorobenzilate
U114	111-54-6	Ethylenebisdithiocarbamic acid, salts and esters
U067	106-93-4	Ethylene dibromide
U077	107-06-2	Ethylene dichloride
U359	110-80-5	Ethylene glycol monoethyl ether
U115	75-21-8	Ethylene oxide (I,T)
U116	96-45-7	Ethylene thiourea
U117	60-29-7	Ethyl ether (I)
U076	75-34-3	Ethylidene dichloride
U118	97-63-2	Ethyl methacrylate
U119	62-50-0	Ethylmethanesulfonate
U120	206-44-0	Fluoranthene

U122	50-00-0	Formaldehyde
U123	64-18-6	Formic acid (C,T)
U124	110-00-9	Furan (I)
U125	98-01-1	2-Furancarboxaldehyde (I)
U147	108-31-6	2,5-Furandione
U213	109-99-9	Furan, tetrahydro- (I)
U125	98-01-1	Furfural (I)
U124	110-00-9	Furfuran (I)
U206	18883-66-4	D-Glucopyranose, 2-deoxy-2(3-methyl-3-nitrosoureido)-
U126	765-34-4	Glycidylaldehyde
U163	70-25-7	Guanidine, N-methyl-N'-nitro-N-nitroso-
U127	118-74-1	Hexachlorobenzene
U128	87-68-3	Hexachlorobutadiene
U129	58-88-9	Hexachlorocyclohexane (gamma isomer)
U130	77-47-4	Hexachlorocyclopentadiene
U131	67-72-1	Hexachloroethane
U132	70-30-4	Hexachlorophene
U243	1888-71-7	Hexachloropropene
U133	302-01-2	Hydrazine (R,T)
U086	1615-80-1	Hydrazine, 1,2-diethyl-
U098	57-14-7	Hydrazine, 1,1-dimethyl-
U099	540-73-8	Hydrazine, 1,2-dimethyl-
U109	122-66-7	Hydrazine, 1,2-diphenyl-
U134	7664-39-3	Hydrofluoric acid (C,T)
U134	7664-39-3	Hydrogen fluoride (C,T)
U135	7783-06-4	Hydrogen sulfide
U096	80-15-9	Hydroperoxide, 1-methyl-1-phenylethyl- (R)
U136	75-60-5	Hydroxydimethylarsine oxide
U116	96-45-7	2-Imidazolidinethione
U137	193-39-5	Indeno[1,2,3cd]pyrene
U139	9004-66-4	Iron dextran
U190	85-44-9	1,3-Isobenzofurandione
U140	78-83-1	Isobutyl alcohol (I,T)
U141	120-58-1	Isosafrole
U142	143-50-0	Kepone
U143	303-34-4	Lasiocarpine
U144	301-04-2	Lead acetate
U146	1335-32-6	Lead, bis(acetato-O)tetrahydroxytri-
U145	7446-27-7	Lead phosphate
U146	1335-32-6	Lead subacetate
U129	58-89-9	Lindane
U147	108-31-6	Maleic anhydride
U148	123-33-1	Maleic hydrazide
U149	109-77-3	Malononitrile
U150	148-82-3	Melphalan
U151	7439-97-6	Mercury
U152	126-98-7	Methacrylonitrile (I,T)
U[illegible]	[illegible]	Methanamine, N-methyl- (I)

AR200728

Hazardous waste No.	Chemical abstracts No.	Substance
U029	74-83-9	Methane, bromo-
U045	74-87-3	Methane, chloro- (I,T)
U046	107-30-2	Methane, chloromethoxy-
U068	74-95-3	Methane, dibromo-
U080	75-09-2	Methane, dichloro-
U075	75-71-8	Methane, dichlorodifluoro-
U138	74-88-4	Methane, iodo-
U119	62-50-0	Methanesulfonic acid, ethyl ester
U211	56-23-5	Methane, tetrachloro-
U153	74-93-1	Methanethiol (I,T)
U225	75-25-2	Methane, tribromo-
U044	67-66-3	Methane, trichloro-
U121	75-69-4	Methane, trichlorofluoro-
U123	64-18-6	Methanoic acid (C,T)
U154	67-56-1	Methanol (I)
U155	91-80-5	Methapyrilene
U142	143-50-0	1,3,4-Metheno-2H-cyclobuta[cd]pentalen-2-one, 1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro-
U247	72-43-5	Methoxychlor
U154	67-56-1	Methyl alcohol (I)
U029	74-83-9	Methyl bromide
U186	504-60-9	1-Methylbutadiene (I)
U045	74-87-3	Methyl chloride (I,T)
U156	79-22-1	Methylchlorocarbonate (I,T)
U226	71-55-6	Methylchloroform
U157	56-49-5	3-Methylcholanthrene
U158	101-14-4	4,4'-Methylenebis(2-chloroaniline)
U068	74-95-3	Methylene bromide
U080	75-09-2	Methylene chloride
U159	78-93-3	Methyl ethyl ketone (MEK) (I,T)
U160	1338-23-4	Methyl ethyl ketone peroxide (R,T)
U138	74-88-4	Methyl iodide
U161	108-10-1	Methyl isobutyl ketone (I)
U162	80-62-6	Methyl methacrylate (I,T)
U163	70-25-7	N-Methyl-N'-nitro-N-nitrosoguanidine
U161	108-10-1	4-Methyl-2-pentanone (I)
U164	56-04-2	Methylthiouracil
U010	50-07-7	Mitomycin C
U059	20830-81-3	5,12-Naphthacenedione, (8S-cis)-8-acetyl-10-[(3-amino-2,3,6-trideoxy)-alpha-L-lyxo-hexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-
U165	91-20-3	Naphthalene
U047	91-58-7	Naphthalene, 2-chloro-
U166	130-15-4	1,4-Naphthalenedione
U236	72-57-1	2,7-Naphthalenedisulfonic acid, 3,3'-[(3,3'dimethyl-(1,1'biphenyl)-4,4'-diyl)]-bis(azo)bis(5-amino-4-hydroxy)-, tetrasodium salt
U166	130-15-4	1,4-Naphthoquinone

U167	134-32-7	alpha-Naphthylamine
U168	91-59-8	beta-Naphthylamine
U026	494-03-1	2-Naphthylamine, N,N'-bis(2-chloromethyl)-
U167	134-32-7	1-Naphthylenamine
U168	91-59-8	2-Naphthylenamine
U217	10102-45-1	Nitric acid, thallium(1+) salt
U169	98-95-3	Nitrobenzene (I,T)
U170	100-02-7	p-Nitrophenol
U171	79-46-9	2-Nitropropane (I,T)
U172	924-16-3	N-Nitrosodi-n-butylamine
U173	1116-54-7	N-Nitrosodiethanolamine
U174	55-18-5	N-Nitrosodiethylamine
U176	759-73-9	N-Nitroso-N-ethylurea
U177	684-93-5	N-Nitroso-N-methylurea
U178	615-53-2	N-Nitroso-N-methylurethane
U179	100-75-4	N-Nitrosopiperidine
U180	930-55-2	N-Nitrosopyrrolidine
U181	99-55-8	5-Nitro-o-toluidine
U193	1120-71-4	1,2-Oxathiolane, 2,2-dioxide
U058	50-18-0	2H-1,3,2-Oxazaphosphorin-2-amine, N,N-bis(2-chloroethyl)tetrahydro-, 2-oxide
U115	75-21-8	Oxirane (I,T)
U126	765-34-4	Oxiranecarboxyaldehyde
U041	106-89-8	Oxirane, (chloromethyl)-
U182	123-63-7	Paraldehyde
U183	608-93-5	Pentachlorobenzene
U184	76-01-7	Pentachloroethane
U185	82-68-8	Pentachloronitrobenzene (PCNB)
U242	87-86-5	Pentachlorophenol
U186	504-60-9	1,3-Pentadiene (I)
U187	62-44-2	Phenacetin
U188	108-95-2	Phenol
U048	95-57-8	Phenol, 2-chloro-
U039	59-50-7	Phenol, 4-chloro-3-methyl-
U081	120-83-2	Phenol, 2,4-dichloro-
U082	87-65-0	Phenol, 2,6-dichloro-
U089	56-53-1	Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)-
U101	105-67-9	Phenol, 2,4-dimethyl-
U052	1319-77-3	Phenol, methyl-
U132	70-30-4	Phenol, 2,2'-methylenebis[3,4,6-trichloro-
U170	100-02-7	Phenol, 4-nitro-
U242	87-86-5	Phenol, pentachloro-
U212	58-90-2	Phenol, 2,3,4,6-tetrachloro-
U230	95-94-4	Phenol, 2,4,5-trichloro-
U231	88-06-2	Phenol, 2,4,6-trichloro-
U150	148-82-3	L-Phenylalanine, 4-[bis(2-chloroethyl)amino]-
U145	7446-27-7	Phosphonic acid, lead salt
U087	3288-58-2	Phosphorodithioic acid, O,O-diethyl-, S-methyl-, ester
U189	108-95-2	Phosphorous sulfide (R)

AR200729

Hazardous waste No.	Chemical abstracts No.	Substance
U190	85-44-9	Phthalic anhydride
U191	109-06-8	2-Picoline
U179	100-75-4	Piperidine, 1-nitroso-
U192	23950-58-5	Pronamide
U194	107-10-8	1-Propanamine (I,T)
U111	621-64-7	1-Propanamine, N-nitroso-N-propyl-
U110	142-84-7	1-Propanamine, N-propyl- (I)
U066	96-12-8	Propane, 1,2-dibromo-3-chloro-
U149	109-77-3	Propanedinitrile
U171	79-46-9	Propane, 2-nitro- (I,T)
U027	39638-32-9	Propane, 2,2'-oxybis[2-chloro-
U193	1120-71-4	1,3-Propane sultone
U235	126-72-7	1-Propanol, 2,3-dibromo-, phosphate (3:1)
U140	78-83-1	1-Propanol, 2-methyl- (I,T)
U002	67-64-1	2-Propanone (I)
U084	542-75-6	1-Propene, 1,3-dichloro-
U152	126-98-7	2-Propanenitrile, 2-methyl- (I,T)
U007	79-06-1	2-Propenamide
U243	1888-71-7	1-Propene, hexachloro-
U009	107-13-1	2-Propenenitrile
U008	79-10-7	2-Propenoic acid (I)
U113	140-88-5	2-Propenoic acid, ethyl ester (I)
U118	97-63-2	2-Propenoic acid, 2-methyl-, ethyl ester
U162	80-66-2	2-Propenoic acid, 2-methyl-, methyl ester (I,T)
U233	93-72-1	Propionic acid, 2-(2,4,5-trichlorophenoxy)-
U194	107-10-8	n-Propylamine (I,T)
U083	78-87-5	Propylene dichloride
U148	123-33-1	3,6-Pyridazinedione, 1,2-dihydro-
U196	110-86-1	Pyridine
U191	109-06-8	Pyridine, 2-methyl-
U237	66-75-1	2,4(1H,3H)-Pyrimidinedione, 5-[bis(2-chloroethyl)amino]-
U164	56-04-2	4-(1H)-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-
U180	930-55-2	Pyrrolidine, 1-nitroso-
U200	50-55-5	Reserpine
U201	108-46-3	Resorcinol
U202	81-07-2	Saccharin and salts
U203	94-59-7	Safrole
U204	7783-00-8	Selenious acid
U204	7783-00-8	Selenium dioxide
U205	7446-34-6	Selenium sulfide (R,T)
U015	115-02-6	L-Serine, diazoacetate (ester)
U233	93-72-1	Silvex
U206	18883-66-4	Streptozotocin

U103	77-78-1	Sulfuric acid, dimethyl ester
U189	1314-80-3	Sulfur phosphide (R)
U232	93-76-5	2,4,5-T
U207	95-94-3	1,2,4,5-Tetrachlorobenzene
U208	630-20-6	1,1,1,2-Tetrachloroethane
U209	79-34-5	1,1,2,2-Tetrachloroethane
U210	127-18-4	Tetrachloroethylene
U212	58-90-2	2,3,4,6-Tetrachlorophenol
U213	109-99-9	Tetrahydrofuran (I)
U214	15843-14-8	Thallium(I) acetate
U215	6533-73-9	Thallium(I) carbonate
U216	7791-12-0	Thallium chloride
U217	10102-45-1	Thallium(I) nitrate
U218	62-55-5	Thioacetamide
U153	74-93-1	Thiomethanol (I,T)
U244	137-26-8	Thioperoxydicarbonic diamide, tetramethyl-
U219	62-56-6	Thiourea
U244	137-26-8	Thiuram
U220	108-88-3	Toluene
U221	25376-45-8	Toluenediamine
U223	26471-62-5	Toluene diisocyanate (R,T)
U328	95-53-4	o-Toluidine
U353	106-49-0	p-Toluidine
U222	636-21-5	o-Toluidine hydrochloride
U011	61-82-5	1H-1,2,4-Triazol-3-amine
U226	71-55-6	1,1,1-Trichloroethane
U227	79-00-5	1,1,2-Trichloroethane
U228	79-01-6	Trichloroethylene
U121	75-69-4	Trichloromonofluoromethane
U230	95-95-4	2,4,5-Trichlorophenol
U231	88-06-2	2,4,6-Trichlorophenol
U234	99-35-4	sym-Trinitrobenzene (R,T)
U182	123-63-7	1,3,5-Trioxane, 2,4,6-trimethyl-
U235	126-72-7	Tris (2,3-dibromopropyl) phosphate
U236	72-57-1	Trypan blue
U237	66-75-1	Uracil mustard
U176	759-73-9	Urea, N-ethyl-N-nitroso-
U177	684-93-5	Urea, N-methyl-N-nitroso-
U043	75-01-4	Vinyl chloride
U248	81-81-2	Warfarin, when present at concentrations of 0.3% or less
U239	1330-20-7	Xylene (I)
U200	50-55-5	Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxybenzoyl)oxy]-, methyl ester
U249	1314-84-7	Zinc phosphide, when present at concentrations of 10% or less

[1] CAS Number given for parent compound only.

AR200730

(Approved by the Office of Management and Budget under control number 2050-0047)

[45 FR 78529, 78541, Nov. 25, 1980, as amended at 46 FR 27477, May 20, 1981; 49 FR 19923, May 10, 1984; 50 FR 2000, Jan. 14, 1985; 50 FR 28744, July 15, 1985; 50 FR 42942, Oct. 23, 1985; 51 FR 6541, Feb. 25, 1986; 51 FR 10175, Mar. 24, 1986; 51 FR 28298, Aug. 6, 1986; 52 FR 21306, June 5, 1987; 52 FR 26012, July 10, 1987]

AR20073

APPENDIX I—REPRESENTATIVE SAMPLING METHODS

The methods and equipment used for sampling waste materials will vary with the form and consistency of the waste materials to be sampled. Samples collected using the sampling protocols listed below, for sampling waste with properties similar to the indicated materials, will be considered by the Agency to be representative of the waste.

Extremely viscous liquid—ASTM Standard D140-70 Crushed or powdered material—ASTM Standard D346-75 Soil or rock-like material—ASTM Standard D420-69 Soil-like material—ASTM Standard D1452-65

Fly Ash-like material—ASTM Standard D2234-76 [ASTM Standards are available from ASTM, 1916 Race St., Philadelphia, PA 19103]

Containerized liquid wastes—"COLIWASA" described in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," * U.S. Environmental Protection Agency, Office of Solid Waste, Washington, D.C. 20460. [Copies may be obtained from Solid Waste Information, U.S. Environmental Protection Agency, 26 W. St. Clair St., Cincinnati, Ohio 45268]

Liquid waste in pits, ponds, lagoons, and similar reservoirs.—"Pond Sampler" described in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods." *

This manual also contains additional information on application of these protocols.

APPENDIX II—EP TOXICITY TEST PROCEDURES

A. Extraction Procedure (EP)

1. A representative sample of the waste to be tested (minimum size 100 grams) shall be obtained using the methods specified in Appendix I or any other method capable of yielding a representative sample within the meaning of Part 260. [For detailed guidance on conducting the various aspects of the EP see "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods" (incorporated by reference, see § 260.11).]

2. The sample shall be separated into its component liquid and solid phases using the method described in "Separation Procedure" below. If the solid residue * obtained using this method totals less than 0. the original weight of the waste, the r can be discarded and the operator treat the liquid phase as the extrac proceed immediately to Step 8.

3. The solid material obtained fro Separation Procedure shall be evaluat its particle size. If the solid material surface area per gram of material equ or greater than, 3.1 cm² or passes thro 9.5 mm (0.375 inch) standard sieve, the ator shall proceed to Step 4. If the su area is smaller or the particle size than specified above, the solid ma shall be prepared for extraction by ing, cutting or grinding the material s it passes through a 9.5 mm (0.375 inch) or, if the material is in a single pie subjecting the material to the "Stru Integrity Procedure" described below.

4. The solid material obtained in S shall be weighed and placed in an extr with 16 times its weight of deionized Do not allow the material to dry pr weighing. For purposes of this test, a ceptable extractor is one which will i sufficient agitation to the mixture t only prevent stratification of the s and extraction fluid but also insure th sample surfaces are continuously br into contact with well mixed extra fluid.

5. After the solid material and deio water are placed in the extractor, the c tor shall begin agitation and measur pH of the solution in the extractor. I pH is greater than 5.0, the pH of the tion shall be decreased to 5.0 ± 0 adding 0.5 N acetic acid. If the pH is to or less than 5.0, no acetic acid shou added. The pH of the solution shall be itored, as described below, during the c of the extraction and if the pH rises 5.2, 0.5N acetic acid shall be added to the pH down to 5.0 ± 0.2. However, event shall the aggregate amount of added to the solution exceed 4 ml of per gram of solid. The mixture shall b tated for 24 hours and maintained at 40°C (68°-104°F) during this time. It i ommended that the operator monitor adjust the pH during the course of th traction with a device such as the Type pH Controller manufactured by Cher Inc., Hillsboro, Oregon 97123 or its e lent, in conjunction with a metering

---

* These methods are also described in "Samplers and Sampling Procedures for Hazardous Waste Streams," EPA 600/2-80-018, January 1980.

* The percent solids is determined by drying the filter pad at 80°C until it reaches constant weight and then calculating percent solids using the following equ

Percent solids =

$$\frac{(\text{weight of pad + solid}) - (\text{tare weight of pad})}{\text{initial weight of sample}}$$

(8) *The term* "environment" means (A) the navigable waters, the waters of the contiguous zone, and the ocean waters of which the natural resources are under the exclusive management authority of the United States under the Fishery Conservation and Management Act of 1976, and (B) any other surface water, ground water, drinking water supply, land surface or subsurface strata, or ambient air within the United States or under the jurisdiction of the United States[;].

(9) *The term* "facility" means (A) any building, structure, installation, equipment, pipe or pipeline (including any pipe into a sewer or publicly owned treatment works), well, pit, pond, lagoon, impoundment, ditch, landfill, storage container, motor vehicle, rolling stock, or aircraft, or (B) any site or area where a hazardous substance has been deposited, stored, disposed of, or placed, or otherwise come to be located; but does not include any consumer product in consumer use or any vessel[;].

(10) *The term* "federally permitted release" means (A) discharges in compliance with a permit under section 402 of the Federal Water Pollution Control Act, (B) discharges resulting from circumstances identified and reviewed and made part of the public record with respect to a permit issued or modified under section 402 of the Federal Water Pollution Control Act and subject to a condition of such permit, (C) continuous or anticipated intermittent discharges from a point source, identified in a permit or permit application under section 402 of the Federal Water Pollution Control Act, which are caused by events occurring within the scope of relevant operating or treatment systems, (D) discharges in compliance with a legally enforceable permit under section 404 of the Federal Water Pollution Control Act, (E) releases in compliance with a legally enforceable final permit issued pursuant to section 3005 (a) through (d) of the Solid Waste Disposal Act from a hazardous waste treatment, storage, or disposal facility when such permit specifically identifies the hazardous substances and makes such substances subject to a standard of practice, control procedure or bioassay limitation or condition, or other control on the hazardous substances in such releases, (F) any release in compliance with a legally enforceable permit issued under section 102 of section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972, (G) any injection of fluids authorized under Federal underground injection control programs or State programs submitted for Federal approval (and not disapproved by the Administrator of the Environmental Protection Agency) pursuant to part C of the Safe Drinking Water Act, (H) any emission into the air subject to a permit or control regulation under section 111, section 112, title I part C, title I part D, or State implementation plans submitted in accordance with section 110 of the Clean Air Act (and not disapproved by the Administrator of the Environmental Protection Agency), including any schedule or waiver granted, promulgated, or approved under these sections, (I) any injection of fluids or other materials authorized under applicable State law (i) for the purpose of stimulating or treating wells for the production of crude oil, natural gas, or water, (ii) for the purpose of secondary, tertiary, or other enhanced recovery of crude oil or natural gas, or (iii) which are brought to the surface in conjunction with the production of crude oil or natural gas and which are reinjected, (J) the introduction of any pollutant into a publicly owned treatment works when such pollutant is specified in and in compliance with applicable pretreatment standards of section 307 (b) or (c) of the Clean Water Act and enforceable requirements in a pretreatment program submitted by a State or municipality for Federal approval under section 402 of such Act, and (K) any release of source, special nuclear, or byproduct material, as those terms are defined in the Atomic Energy Act of 1954, in compliance with a legally enforceable license, permit, regulation, or order issued pursuant to the Atomic Energy Act of 1954[;].

[(11) The term "Fund" or "Trust Fund" means the Hazardous Substance Response Fund established by section 221 of this Act or, in the case of a hazardous waste disposal facility for which liability has been transferred under section 107(k) of this Act, the Post-closure Liability Fund established by section 232 of this Act;]

(11) The term "Fund" or "Trust Fund" means the Hazardous Substance Superfund established by section 9507 of the Internal Revenue Code of 1986.

(12) *The term* "ground water" means water in a saturated zone or stratum beneath the surface of land or water[;].

(13) *The term* "guarantor" means any person, other than the owner or operator, who provides evidence of financial responsibility for an owner or operator under this Act[;].

CERCLA Section 101(14)

(14) *The term* "hazardous substance" means (A) any substance designated pursuant to section 311(b)(2)(A) of the Federal Water Pollution Control Act, (B) any element, compound, mixture, solution, or substance designated pursuant to section 102 of this Act, (C) any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of the Solid Waste Disposal Act (but not including any waste the regulation of which under the Solid Waste Disposal Act has been suspended by Act of Congress), (D) any toxic pollutant listed under section 307(a) of the Federal Water Pollution Control Act, (E) any hazardous air pollutant listed under section 112 of the Clean Air Act, and (F) any imminently hazardous chemical substance or mixture with respect to which the Administrator has taken action pursuant to section 7 of the Toxic Substances Control Act. The term does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of this paragraph, and the term does not include natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas)[;].

AR200732

(15) *The term* "navigable waters" or "navigable waters of the United States" means the waters of the United States, including the territorial seas[;].

(16) *The term* "natural resources" means land, fish, wildlife, biota, air, water, ground water, drinking water supplies, and

(i) At the time the defendant acquired the facility the defendant did not know and had no reason to know that any hazardous substance which is the subject of the release or threatened release was disposed of on, in, or at the facility.

(ii) The defendant is a government entity which acquired the facility by escheat, or through any other involuntary transfer or acquisition, or through the exercise of eminent domain authority by purchase or condemnation.

(iii) The defendant acquired the facility by inheritance or bequest.

In addition to establishing the foregoing, the defendant must establish that he has satisfied the requirements of section 107(b)(3) (a) and (b).

(B) To establish that the defendant had no reason to know, as provided in clause (i) of subparagraph (A) of this paragraph, the defendant must have undertaken, at the time of acquisition, all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice in an effort to minimize liability. For purposes of the preceding sentence the court shall take into account any specialized knowledge or experience on the part of the defendant, the relationship of the purchase price to the value of the property if uncontaminated, commonly known or reasonably ascertainable information about the property, the obviousness of the presence or likely presence of contamination at the property, and the ability to detect such contamination by appropriate inspection.

(C) Nothing in this paragraph or in section 107(b)(3) shall diminish the liability of any previous owner or operator of such facility who would otherwise be liable under this Act. Notwithstanding this paragraph, if the defendant obtained actual knowledge of the release or threatened release of a hazardous substance at such facility when the defendant owned the real property and then subsequently transferred ownership of the property to another person without disclosing such knowledge, such defendant shall be treated as liable under section 107(a)(1) and no defense under section 107(b)(3) shall be available to such defendant.

(D) Nothing in this paragraph shall affect the liability under this Act of a defendant who, by any act or omission, caused or contributed to the release or threatened release of a hazardous substance.

(36) The term "Indian tribe" means any Indian tribe, band, nation, or other organized group or community, including any Alaska Native village but not including any Alaska Native regional or village corporation, which is recognized as eligible for the special programs and services provided by the United States to Indians because of their status as Indians.

(37)(A) The term "service station dealer" means any person—

(i) who owns or operates a motor vehicle service station, filling station, garage, or similar retail establishment engaged in the business of selling, repairing, or servicing motor vehicles, where a significant percentage of the gross revenue of the establishment is derived from the fueling, repairing, or servicing of motor vehicles, and

(ii) who accepts for collection, accumulation, and delivery to an oil recycling facility, recycled oil that (I) has been removed from the engine of a light duty motor vehicle or household appliances by the owner of such vehicle or appliances, and (II) is presented, by such owner, to such person for collection, accumulation, and delivery to an oil recycling facility.

(B) For purposes of section 114(c), the term "service station dealer" shall, notwithstanding the provisions of subparagraph (A), include any government agency that establishes a facility solely for the purpose of accepting recycled oil that satisfies the criteria set forth in subclauses (I) and (II) of subparagraph (A)(ii), and, with respect to recycled oil that satisfies the criteria set forth in subclauses (I) and (II), owners or operators of refuse collection services who are compelled by State law to collect, accumulate, and deliver such oil to an oil recycling facility.

(C) The President shall promulgate regulations regarding the determination of what constitutes a significant percentage of the gross revenues of an establishment for purposes of this paragraph.

(38) The term "incineration vessel" means any vessel which carries hazardous substances for the purpose of incineration of such substances, so long as such substances or residues of such substances are on board.

CERCLA Section 102(a)

REPORTABLE QUANTITIES AND ADDITIONAL DESIGNATIONS

SEC. 102. (a) The Administrator shall promulgate and revise as may be appropriate, regulations designating as hazardous substances, in addition to those referred to in section 101(14) of this title, such elements, compounds, mixtures, solutions, and substances which, when released into the environment may present substantial danger to the public health or welfare or the environment, and shall promulgate regulations establishing that quantity of any hazardous substance the release of which shall be reported pursuant to section 103 of this title. The Administrator may determine that one single quantity shall be the reportable quantity for any hazardous substance, regardless of the medium into which the hazardous substance is released. *For all hazardous substances for which proposed regulations establishing reportable quantities were published in the Federal Register under this subsection on or before March 1, 1986, the Administrator shall promulgate under this subsection final regulations establishing reportable quantities not later than December 31, 1986. For all hazardous substances for which proposed regulations establishing reportable quantities were not published in the Federal Register under this subsection on or before March 1, 1986, the Administrator shall publish under this subsection proposed regulations establishing reportable quantities not later than December 31, 1986, and promulgate final regulations under this subsection establishing reportable quantities not later than April 30, 1988.*

AR200733

(b) Unless and until superseded by regulations establishing a reportable quantity under subsection (a) of this section for any hazardous substance as defined in section 101(14) of this title, (1) a

4/12/88

Also sent
a copy of the
CFR Sections 190-399
July 1987

ORIGINAL (Red)

AR200734